

Years	Application Information		Dynamics
<b>CADILLAC</b>			
<b>Commercial Chassis</b>			
<b>FRONT PADS</b>			
1993-90	All		<b>DX369</b>
1989-69	All		<b>DX52</b>
<b>REAR SHOES</b>			
1990-71	All	With 12" x 2.5" brake	BX366
<b>Escalade</b>			
<b>FRONT PADS</b>			
2008-07	All		DX1092★
2006-02	All—Exc. ESV & EXT Models	Standard Duty For Towing and HD Hauling	DX785★● DX785★●
2001-99	All		<b>DX369</b>
<b>REAR PADS</b>			
2008-07	All		<b>DX1194★</b>
2006-03	2 W.D.		DX974★
2006-02	AWD & ESV		DX975★
<b>REAR SHOES</b>			
2001-99	All—Exc. ESV	With 11.16" x 2.75" brake	BX473 BX473R
<b>PARKING BRAKE SHOES</b>			
2008-02	All	With 8.27" x 1.18" brake	BX781
<b>Escalade EXT</b>			
<b>FRONT PADS</b>			
2008-07	All		DX1092★
2006-02	All	Standard Duty For Towing and HD Hauling	DX785★● DX785★●
<b>REAR PADS</b>			
2008-07	All		<b>DX1194★</b>
2006-02	All		DX975★
<b>PARKING BRAKE SHOES</b>			
2008-02	All	With 8.27" x 1.18" brake	BX781
<b>Fleetwood</b>			
<b>FRONT PADS</b>			
1996-67	RWD		<b>DX52</b>
1992-91	FWD	Standard Duty	<b>DX505</b>
1992-90	FWD	Heavy Duty	<b>DX369</b>
1990	FWD	Standard Duty	<b>DX215</b>
1989-85	FWD		<b>DX215</b>
<b>REAR SHOES</b>			
1996-91	All	With 11.16" x 2.75" brake	BX473 BX473R
1996-79	All	With 11" x 2" brake	BX462 BX462R
1993-92	All	With 8.86" x 1.77" brake	BX636 BX636R
1991-87	All	With 8.86" x 1.77" brake	BX564
1990-71	Brougham	With 12" x 2.5" brake	BX366

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**DX369** indicates Original Equipment Replacement Recommendation.

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMS TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

Years	Application Information		Dynamics
<b>CADILLAC – Continued</b>			
<b>Fleetwood – Continued</b>			
1986	FWD	With 8.86" x 1.77" brake	BX552
1985	All	With 8.86" x 1.77" brake	BX521
1976-71	60 Special	With 12" x 2.5" brake	BX366
<b>Limousine</b>			
<b>REAR SHOES</b>			
1990-71	All	With 12" x 2.5" brake	BX366
<b>CHEVROLET</b>			
<b>3100 &amp; 3200 Series</b>			
<b>REAR PADS</b>			
1959-57	4WD	With 11" x 2" brake	DX228
<b>FRONT SHOES</b>			
1958-51	2WD	With 11" x 2" brake	BX228
<b>REAR SHOES</b>			
1959-51	All	With 11" x 1.75" brake	BX55
<b>3600 Series 4 W.D. - ¾ Ton</b>			
<b>FRONT SHOES</b>			
1958	3600 Series	With 11" x 2" brake	BX228
<b>Caprice</b>			
<b>FRONT PADS</b>			
1996-94	Police, Taxi & Wagon		<b>DX614A</b>
1993	Police & Taxi		<b>DX614</b>
<b>Impala</b>			
<b>FRONT PADS</b>			
2008-06	Police Car & Taxi		<b>DX1159</b>
2005-00	Police Car & Taxi		<b>DX699★</b>
<b>REAR PADS</b>			
2008-00	Police Car & Taxi		<b>DX698★</b>
<b>Pickup (½ Ton) AWD (Silverado SS)</b>			
<b>FRONT PADS</b>			
2006-03	SS Package	For Towing and HD Hauling	<b>DX785★●</b>
			<b>DX785★●</b>
<b>REAR PADS</b>			
2006-04	SS Package	With Special Heavy Duty NEC Kit	<b>DX792★</b>
			<b>DX792A★</b>
2003	SS Package		<b>DX975★</b>
<b>Pickup Silverado (Mexican Model)</b>			
<b>FRONT PADS</b>			
1995-92	All	Optional Rear Brakes; 11½" x 2¾" Rear Brakes; 10" x 2¼"	<b>DX845●</b>
			<b>DX369</b>
<b>Pickup (½ Ton) 2 W.D. (Silverado, C &amp; R Models)</b>			
<b>FRONT PADS</b>			
2008-05	Silverado 1500 Series —Exc. 1500HD	Pad Length 7.25"	<b>DX1092★</b>

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>CHEVROLET – Continued</b>			
<b>Pickup (½ Ton) 2 W.D. (Silverado, C &amp; R Models) – Continued</b>			
2007-01	Silverado 1500HD Series	Pad Length 8.5" For Towing and HD Hauling	DX784★● DX784★●
2007-99	Silverado 1500 Series —Exc. 1500HD	Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
1999-92	C-1500 Series	For Towing and HD Hauling	<b>DX369</b> <b>DX369</b>
1991-88	C-1500 Series—Exc. Heavy Duty & Extended Cab		<b>DX368●</b>
1991-88	C-1500 Series Heavy Duty, Extended Cab & Performance Package SS454	For Towing and HD Hauling	<b>DX369</b> <b>DX369</b>
1987	R-10 Series		<b>DX52</b>
1987-70	C-10 Series		<b>DX52</b>
<b>REAR PADS</b>			
2008-07	New Body Style		<b>DX1194★</b>
2007-04	Silverado 1500 Extended Cab—Exc. 1500HD & Electronic Suspension	With Special Heavy Duty NEC Kit	DX792★ DX792A★
2007-04	Silverado 1500 Extended Cab—Exc. 1500HD & Hybrid Electric	Pad Length 5.6" With Special Heavy Duty NEC Kit Pad Length 7.2"	DX792★ DX792A★ DX975★
2007-03	Silverado 1500HD Crew Cab & Extended Cab—Exc. Quadrasteer	With Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
2006-04	Silverado 1500 Crew Cab—Exc. 1500HD		DX975★
2006-01	Silverado 1500 Regular Cab—Exc. Quadrasteer	With Special Heavy Duty NEC Kit	DX792★ DX792A★
2003	Silverado 1500HD Crew Cab with Quadrasteer	With Special Heavy Duty NEC Kit	DX792★ DX792A★
2003-02	Silverado 1500 Extended Cab	Pad Length 5.6" With Special Heavy Duty NEC Kit Pad Length 7.2"	DX792★ DX792A★ DX975★
2002-01	Silverado 1500HD Crew Cab	Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
2000-99	Silverado 1500 Series	With Special Heavy Duty NEC Kit	DX792★ DX792A★
<b>FRONT SHOES</b>			
1970-67	C-10 Series	With 11" x 2.75" brake	BX227
1970-64	C-10 Series	With 11" x 2" brake	BX280 BX280R
1963-59	C-10 Series	With 11" x 2" brake	BX228
<b>REAR SHOES</b>			
2008-05	Silverado 1500	With 11.68" x 2.43" brake	BX855
1999-93	C10 & C1500 Series	With 10" x 2.24" brake	BX675 BX675R
1999-78	C-10 & C1500 Series	With 11.16" x 2.75" brake	BX473 BX473R

 FLEET VEHICLES/  
LIGHT TRUCKS

 MEDIUM/HEAVY  
DUTY TRUCKS

 NUMERICAL  
LISTING

 FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

 TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOXED NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
-------	-------------------------	----------

## CHEVROLET — Continued

### Pickup (½ Ton) 2 W.D. (Silverado, C & R Models) — Continued

1987	R-10 Series	With 11.16" x 2.75" brake	BX473 BX473R
		With 11" x 2" brake	BX449 BX449R
1986-76	C-10 Series	With 11" x 2" brake	BX449 BX449R
1977-76	C-10 Series	With 11.16" x 2.75" brake	BX450R
1975-71	C-10 Series	With 11" x 2" brake	BX280 BX280R
1970-64	C-10 Series	With 11" x 2" brake	BX280 BX280R
1963-59	C-10 Series	With 11" x 2" brake	BX228

### PARKING BRAKE SHOES

2008-99	Silverado 1500—Exc. HD	With 8.27" x 1.18" brake	BX781
2007-01	Silverado 1500HD	With 8.07" x 1.65" brake	BX771
2005-03	Silverado 1500HD with Quadrasteer	With 8.27" x 1.18" brake	BX781

### Pickup (¾ Ton) 2 W.D. (Silverado, C & R Models)

#### FRONT PADS

2008-99	Silverado 2500 & 2500HD Series	Pad Length 8.5"	DX784★●
		For Towing and HD Hauling	DX784★●
2006-05	Silverado 2500 Series	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●
2000-89	C-2500 Series with 8600 GVW	With 13" Rear Drum Brakes	<b>DX845●</b>
1998-88	C-2500 Series with 7200 GVW	With 11" Rear Drum Brakes	<b>DX369</b>
		For Towing and HD Hauling	<b>DX369</b>
1989-87	R-20 and R-2500 Series		<b>DX153</b>
1986-79	C-20 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1986-71	C-20 Series	With 11" Rear Drum Brakes	<b>DX52</b>

#### REAR PADS

2008-99	Silverado 2500 & 2500HD Series	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●

#### REAR SHOES

2000-89	C-2500 Series	With 13" x 2.5" brake	BX451R
2000-78	C-20 & C2500 Series with 7200 LB. GVW	With 11.16" x 2.75" brake	BX473 BX473R
1989-87	R-20 & R-2500 Series	With 13" x 2.5" brake	BX451R
1988-87	R-20 & R-2500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-76	C-20 Series	With 13" x 2.5" brake	BX451R
1977-76	C-20 Series	With 11.16" x 2.75" brake	BX450R
1972-65	C-20 Series	With 12" x 2.5" brake	BX419R
1959-53	C-20 Series	With 11" x 1.75" brake	BX55

#### PARKING BRAKE SHOES

2008-99	Silverado 2500	With 8.07" x 1.65" brake	BX771
2004	Silverado 2500HD with Quadrasteer	With 8.27" x 1.18" brake	BX781

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>CHEVROLET – Continued</b>			
<b>Pickup (1 Ton) 2 W.D. (Silverado, C &amp; R Models)</b>			
<b>FRONT PADS</b>			
2008-01	Silverado 3500 Series	Pad Length 8.5" For Towing and HD Hauling	DX784★● DX784★●
2002-95	C-3500HD Series with Dual RW	With Rear Disc Brakes	<b>DX717●</b>
2000-97	C-3500 Series—Exc. Dual Rear Wheel & Extended Cab		<b>DX845●</b>
2000-96	C-3500 Series Extended Cab and Dual RW	With Rear Drum Brakes	<b>DX459●</b>
1996-95	C-3500 Series—Exc. Dual Rear Wheel & Extended Cab	With 13" Rear Drum Brakes	<b>DX845●</b>
1994	C-3500 Series with Dual RW from Chassis #RJ107933	With Rear Disc Brakes	<b>DX717●</b>
1994	C-3500 Series with Dual RW to Chassis #RJ107933	With Rear Drum Brakes	<b>DX543</b>
1994-88	C-3500 Series with Single RW	With 13" Rear Drum Brakes	<b>DX845●</b>
1993-90	C-3500 Series with Chassis Cab	With Rear Drum Brakes	<b>DX543</b>
1993-90	C-3500 Series with Dual RW	With Rear Drum Brakes	<b>DX459●</b>
1991-87	R-30 & R-3500 Series		<b>DX543</b>
1986-81	C-30 Series		<b>DX543</b>
1980-79	C-30 Series	With 13" x 2½" Rear Drum Brakes	<b>DX153</b>
1980-74	C-30 Series	With 13" x 3½" Rear Drum Brakes	<b>DX543</b>
1978-71	C-30 Series	With 13" x 2½" Rear Drum Brakes	<b>DX52</b>
1972-71	C-30 Series	With 15" x 4" Rear Drum Brakes	<b>DX52</b>
<b>REAR PADS</b>			
2008-05	Silverado 3500 Series	Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
2008-01	Silverado 3500 Series	Pad Length 8.5"	DX909★●
2002-95	C-3500HD Series with Dual RW	With Rear Disc Brakes	<b>DX717●</b>
<b>REAR SHOES</b>			
2000-76	C-30 & C-3500 Series	With 13" x 3.5" brake	BX452R
1991-87	R-30 & R-3500 Series	With 13" x 2.5" brake	BX451R
		With 13" x 3.5" brake	BX452R
1989-88	C-3500 Series	With 13" x 2.5" brake	BX451R
1986-76	C-30 Series	With 13" x 2.5" brake	BX451R
<b>PARKING BRAKE SHOES</b>			
2008-01	Silverado 3500—Exc. Quadrasteer	With 8.07" x 1.65" brake	BX771
<b>Pickup (½ Ton) 4 W.D. (Silverado, K &amp; V Models)</b>			
<b>FRONT PADS</b>			
2008-05	Silverado 1500 Series —Exc. 1500HD	Pad Length 7.25"	DX1092★
2007-01	Silverado 1500HD Series	Pad Length 8.5"	DX784★●
		For Towing and HD Hauling	DX784★●
2007-99	Silverado 1500 Series —Exc. 1500HD Crew Cab	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●

 FLEET VEHICLES/  
LIGHT TRUCKS

 MEDIUM/HEAVY  
DUTY TRUCKS

 NUMERICAL  
LISTING

 FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

 TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**[BOLD NUMBER]** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
<b>CHEVROLET — Continued</b>		
<b>Pickup (½ Ton) 4 W.D. (Silverado, K &amp; V Models) — Continued</b>		
1999-92	K-1500 Series For Towing and HD Hauling	<b>DX369</b> <b>DX369</b>
1991-88	K-1500 Series Regular Cab HD Chassis, Extended Cab Standard Chassis For Towing and HD Hauling	<b>DX369</b> <b>DX369</b>
1991-88	K-1500 Series Regular Cab Standard Chassis	<b>DX368●</b>
1987	V-10 Series	<b>DX52</b>
1986-71	K-10 Series	<b>DX52</b>
<b>REAR PADS</b>		
2008-07	New Body Style	<b>DX1194★</b>
2007-04	Silverado 1500 Series —Exc. Quadrasteer, Crew Cab & 1500HD With Special Heavy Duty NEC Kit	DX792★ DX792A★
2007-04	Silverado 1500HD Extended Cab Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
2007-02	Silverado 1500 Extended Cab Pad Length 5.6" With Special Heavy Duty NEC Kit	DX792★ DX792A★
2006-04	Silverado 1500 Extended & Crew Cab—Exc. 1500HD & Hybrid Electric	DX975★
2006-03	Silverado 1500HD Crew Cab with Quadrasteer With Special Heavy Duty NEC Kit	DX792★ DX792A★
2003-02	Silverado 1500 Extended Cab - with Quadrasteer Pad Length 7.2"	DX975★
2003-01	Silverado 1500HD Crew Cab —Exc. Quadrasteer For Towing and HD Hauling	DX785★● DX785★●
2001	Silverado 1500 Extended Cab	DX975★
2001	Silverado 1500 Regular Cab With Special Heavy Duty NEC Kit	DX792★ DX792A★
2000-99	Silverado 1500 Series With Special Heavy Duty NEC Kit	DX792★ DX792A★
<b>FRONT SHOES</b>		
1970-64	All With 11" x 2" brake	BX280 BX280R
1963-59	All With 11" x 2" brake	BX228
<b>REAR SHOES</b>		
2008-05	Silverado 1500 With 11.68" x 2.43" brake	BX855
1999-78	K-10 & K-1500 Series With 11.16" x 2.75" brake	BX473 BX473R
1998-93	K-1500 Series With 10" x 2.24" brake	BX675 BX675R
1987	V-10 Series With 11.16" x 2.75" brake	BX473 BX473R
1977-76	K-10 Series With 11.16" x 2.75" brake	BX450R
1975-71	K-10 Series With 11" x 2" brake	BX280 BX280R
1970-64	K-10 Series With 11" x 2" brake	BX280 BX280R
1963-59	K-10 Series With 11" x 2" brake	BX228
<b>PARKING BRAKE SHOES</b>		
2008-99	Silverado 1500—Exc. HD With 8.27" x 1.18" brake	BX781

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>CHEVROLET — Continued</b>			
<b>Pickup (½ Ton) 4 W.D. (Silverado, K &amp; V Models) — Continued</b>			
2007-01	Silverado 1500HD	With 8.07" x 1.65" brake	BX771
2005-03	Silverado 1500HD with QuadraSteer	With 8.27" x 1.18" brake	BX781
<b>Pickup (¾ Ton) 4 W.D. (Silverado, K &amp; V Models)</b>			
<b>FRONT PADS</b>			
2008-99	Silverado 2500 & 2500HD Series	Pad Length 8.5" For Towing and HD Hauling	DX784★● DX784★●
2000-89	K-2500 Series with 8600 GVW	With 13" Rear Drum Brakes	<b>DX845●</b>
1998-88	K-2500 Series with 7200 GVW	With 11" Rear Drum Brakes For Towing and HD Hauling	<b>DX369</b> <b>DX369</b>
1989-87	V-20 and V-2500 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1988-87	V-20 and V-2500 Series	With 11" Rear Drum Brakes	<b>DX52</b>
1986-79	K-20 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1986-71	K-20 Series	With 11" Rear Drum Brakes	<b>DX52</b>
<b>REAR PADS</b>			
2008-99	Silverado 2500 & 2500HD Series	For Towing and HD Hauling	DX785★● DX785★●
<b>FRONT SHOES</b>			
1963-60	K-20 Series	With 12.13" x 2" brake	BX33
<b>REAR SHOES</b>			
2000-88	K-25 & K-2500 Series	With 13" x 2.5" brake	BX451R
2000-78	K-25 & K-2500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1988-87	V-20 & V-2500 Series	With 13" x 2.5" brake	BX451R
1987	V-20 & V-2500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-76	All	With 13" x 2.5" brake	BX451R
1977-76	K-20 Series	With 11.16" x 2.75" brake	BX450R
1963-60	K-20 Series	With 12.13" x 2" brake	BX33
<b>PARKING BRAKE SHOES</b>			
2008-99	Silverado 2500 & 2500HD Series	With 8.07" x 1.65" brake	BX771
2004	Silverado 2500HD with QuadraSteer	With 8.27" x 1.18" brake	BX781
<b>Pickup (1 Ton) 4 W.D. (Silverado, K &amp; V Models)</b>			
<b>FRONT PADS</b>			
2008-01	Silverado 3500 Series	Pad Length 8.5" For Towing and HD Hauling	DX784★● DX784★●
2000-97	K-3500 Extended Cab—Exc. Dual Rear Wheels		<b>DX845●</b>
2000-90	K-3500 Regular Cab—Exc. Dual Rear Wheels		<b>DX845●</b>
2000-90	K-3500 Series with Dual RW		<b>DX459●</b>
1991-87	V-30 Series V-3500 Series		<b>DX543</b>
1986-77	K-30 Series—Exc. Dual Rear Wheels		<b>DX543</b>
<b>REAR PADS</b>			
2008-04	Silverado 3500—Exc. Dual Rear Wheels	Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●

 FLEET VEHICLES/  
LIGHT TRUCKS

 MEDIUM/HEAVY  
DUTY TRUCKS

 NUMERICAL  
LISTING

 FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

 TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>CHEVROLET — Continued</b>			
<b>Pickup (1 Ton) 4 W.D. (Silverado, K &amp; V Models) — Continued</b>			
2008-04	Silverado 3500 with Dual RW	Pad Length 8.5"	DX909★●
2003-01	Silverado 3500 Series	Pad Length 8.5"	DX909★●
<b>REAR SHOES</b>			
2001-77	K-30 & K-3500 Series	With 13" x 3.5" brake	BX452R
1994-88	K-3500 Series	With 13" x 2.5" brake	BX451R
1991-87	V-30 & V-3500 Series	With 13" x 3.5" brake	BX452R
1986-77	All	With 13" x 3.5" brake	BX452R
<b>PARKING BRAKE SHOES</b>			
2007-01	Silverado 3500	With 8.07" x 1.65" brake	BX771
<b>Suburban (½ Ton) 2 W.D. (C &amp; R Models)</b>			
<b>FRONT PADS</b>			
2008-07	1500 Series		DX1092★
2006-00	1500 Series (New Body Style)	With Rear Disc Brakes	DX785★●
		For Towing and HD Hauling	DX785★●
2000-94	C-1500 Series (Old Body Style)	With 11" Rear Drum Brakes	<b>DX369</b>
		With 13" Rear Drum Brakes	<b>DX845●</b>
		For Towing and HD Hauling	<b>DX369</b>
1993-92	C-1500 Series	For Towing and HD Hauling	<b>DX369</b>
			<b>DX369</b>
1991-71	C-10, R-10 & R-1500 Series		<b>DX52</b>
<b>REAR PADS</b>			
2008-07	1500 Series		<b>DX1194★</b>
2006-03	1500 Series		DX974★
2003-00	1500 Series with Limited Slip Axle	With Special Heavy Duty NEC Kit	DX792★
			DX792A★
2002-00	1500 Series—Exc. limited slip axle		DX975★
<b>FRONT SHOES</b>			
1970-67	C-10 & C-15 Series	With 11" x 2.75" brake	BX227
1970-64	C-10 & C-15 Series	With 11" x 2" brake	BX280
			BX280R
1963-59	C-10 & C-15 Series	With 11" x 2" brake	BX228
<b>REAR SHOES</b>			
2000-78	C-10 & C-1500 Series	With 11.16" x 2.75" brake	BX473
			BX473R
1999-95	C-1500 Series Diesel	With 13" x 2.5" brake	BX451R
1991-89	R-10 & R-1500 Series	With 11.16" x 2.75" brake	BX473
			BX473R
1988-87	C-10, R-10 & R-1500 Series	With 11.16" x 2.75" brake	BX473
			BX473R
1987	R-10 & R-1500 Series	With 11" x 2" brake	BX449
			BX449R
1986-76	C-10 & C-15 Series	With 11" x 2" brake	BX449
			BX449R
1977-76	C-10 Series	With 11.16" x 2.75" brake	BX450R
1975-71	C-10 Series	With 11" x 2" brake	BX280
			BX280R

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>CHEVROLET — Continued</b>			
<b>Suburban (½ Ton) 2 W.D. (C &amp; R Models) — Continued</b>			
1970-64	C-10 Series	With 11" x 2" brake	BX280 BX280R
1963-59	C-10 Series	With 11" x 2" brake	BX228
<b>PARKING BRAKE SHOES</b>			
2008-00	1500 Series	With 8.27" x 1.18" brake	BX781
<b>Suburban (¾ Ton) 2 W.D. (C &amp; R Models)</b>			
<b>FRONT PADS</b>			
2008-03	2500 Series	Pad Length 8.5" For Towing and HD Hauling	DX784★● DX784★●
2005-04	2500 Series	Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
2002-01	2500 Series	For Towing and HD Hauling	DX784★● DX784★●
2000	2500 Series	With Rear Disc Brakes For Towing and HD Hauling	DX784★● DX784★●
2000-92	C-2500 Series	With Rear Drum Brakes	<b>DX845●</b>
1991-79	C-20, R-20 & R-2500 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1987-79	C-20 & R-20 Series	With 11" Rear Drum Brakes	<b>DX52</b>
1978-71	C-20 Series	With 11" and 13" Rear Drum Brakes	<b>DX52</b>
<b>REAR PADS</b>			
2008-03	2500 Series—Exc. Quadrasteer	For Towing and HD Hauling	DX785★● DX785★●
2005-03	2500 Series with Quadrasteer	With Special Heavy Duty NEC Kit	DX792★ DX792A★
2002-00	2500 Series	With Rear Disc Brakes For Towing and HD Hauling	DX785★● DX785★●
<b>REAR SHOES</b>			
2001-92	C-2500 Series	With 13" x 2.5" brake	BX451R
1999-92	C-20 & C-25 Series	With 13" x 3.5" brake	BX452R
1986-78	C-20 & C-25 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-76	C-20 & C-25 Series	With 13" x 2.5" brake	BX451R
1977-76	C-10 Series	With 11.16" x 2.75" brake	BX450R
1972-71	C-20 Series	With 12" x 2.5" brake	BX419R
<b>PARKING BRAKE SHOES</b>			
2008-00	2500 Series—Exc. Quadrasteer	With 8.07" x 1.65" brake	BX771
2005-03	2500 Series with Quadrasteer	With 8.27" x 1.18" brake	BX781
<b>Suburban (½ Ton) 4 W.D. (K &amp; V Models)</b>			
<b>FRONT PADS</b>			
2008-07	1500 Series		DX1092★
2006-00	1500 Series	With Rear Disc Brakes For Towing and HD Hauling	DX785★● DX785★●
2000-94	K-1500 Series	With 13" Rear Drum Brakes	<b>DX845●</b>
2000-92	K-1500 Series	With 11" Rear Drum Brakes For Towing and HD Hauling	DX369 DX369

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**[BOLD NUMBER]** indicates Original Equipment Replacement Recommendation.

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMS TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

Years	Application Information		Dynamics
<b>CHEVROLET — Continued</b>			
<b>Suburban (½ Ton) 4 W.D. (K &amp; V Models) — Continued</b>			
1991-71	K-10, V-10 & V-1500 Series		<b>DX52</b>
<b>REAR PADS</b>			
2008-07	1500 Series		<b>DX1194★</b>
2006-03	1500 Series		DX975★
2002-00	1500 Series—Exc. limited slip axle		DX792★
		With Special Heavy Duty NEC Kit	DX792A★
2002-00	1500 Series with Limited Slip Axle		DX975★
<b>REAR SHOES</b>			
2000-78	K-10 & K-1500 Gas	With 11.16" x 2.75" brake	BX473 BX473R
1999-95	K-1500 Diesel	With 13" x 2.5" brake	BX451R
1991-89	K-10, V-10 & V-1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1988-87	V-10 & V-1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1977-76	K-10, V-10 & V-1500 Series	With 11.16" x 2.75" brake	BX450R
<b>PARKING BRAKE SHOES</b>			
2008-00	1500 Series	With 8.27" x 1.18" brake	BX781
<b>Suburban (¾ Ton) 4 W.D. (K &amp; V Models)</b>			
<b>FRONT PADS</b>			
2008-00	2500 Series	Pad Length 8.5"	DX784★●
		For Towing and HD Hauling	DX784★●
2005-04	2500 Series	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●
2000-92	K-2500 Series	With 13" Rear Drum Brakes	<b>DX845●</b>
1991-79	K-20, V-20 & V-2500 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1988-79	K-20, V-20 & V-2500 Series	With 11" Rear Drum Brakes	<b>DX52</b>
1978-71	K-20 Series	With 11" and 13" Rear Drum Brakes	<b>DX52</b>
<b>REAR PADS</b>			
2008-03	2500 Series—Exc. Quadrasteer	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●
2005-03	2500 Series with Quadrasteer		DX792★
		With Special Heavy Duty NEC Kit	DX792A★
2002-00	2500 Series	With Rear Disc Brakes	DX785★●
		For Towing and HD Hauling	DX785★●
<b>REAR SHOES</b>			
1999-92	All	With 13" x 2.5" brake	BX451R
		With 13" x 3.5" brake	BX452R
1991-87	V-20 & V-2500 Series	With 13" x 2.5" brake	BX451R
1987	V-20 & V-2500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-78	K-20 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-76	K-20 Series	With 13" x 2.5" brake	BX451R

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**INDICATED NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>CHEVROLET – Continued</b>			
<b>Suburban (¾ Ton) 4 W.D. (K &amp; V Models) – Continued</b>			
1977-76	K-20 Series	With 11.16" x 2.75" brake	BX450R
<b>PARKING BRAKE SHOES</b>			
2008-00	2500 Series—Exc. Quadrasteer	With 8.07" x 1.65" brake	BX771
2005-03	2500 Series with Quadrasteer	With 8.27" x 1.18" brake	BX781
<b>Tahoe</b>			
<b>FRONT PADS</b>			
2008-07	Police		<b>DX1092★</b>
2000-98	2WD Police & Performance Package	With Rear Drum Brakes	<b>DX845●</b>
<b>Van (½ Ton) Express &amp; G Models</b>			
<b>FRONT PADS</b>			
2008-03	1500 Express Series All Wheel Drive w/ Torsion Bar Front Suspension	For Towing and HD Hauling	DX785★●
			DX785★●
2008-03	Express 1500 Series	For Towing and HD Hauling	DX785★●
			DX785★●
2002-96	Express 1500 Series	For Towing and HD Hauling	<b>DX369</b>
			<b>DX369</b>
1995-71	G-10 Series		<b>DX52</b>
<b>REAR PADS</b>			
2008-03	1500 Express Series All Wheel Drive w/ Torsion Bar Front Suspension		DX974★
2008-03	Express 1500 Series		DX974★
<b>FRONT SHOES</b>			
1971	All	With 11" x 2" brake	BX280 BX280R
1970-64	All	With 9.5" x 2.5" brake	BX246
<b>REAR SHOES</b>			
2002-96	Express 1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
2000-76	G-10 & G-1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1989-76	G-10 Series	With 11" x 2" brake	BX449 BX449R
1975-71	G-10 Series	With 11" x 2" brake	BX280 BX280R
1971-64	G-10 Series	With 9.5" x 2" brake	BX245
<b>PARKING BRAKE SHOES</b>			
2008-03	All	With 8.27" x 1.18" brake	BX781
<b>Van (¾ Ton) Express &amp; G Models</b>			
<b>FRONT PADS</b>			
2008-03	Express 2500 Series with 7300 GVW	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●
2008-03	Express 2500 Series with 8500 GVW Cargo & 8600 GVW Passenger	Pad Length 8.5"	DX784★●
		For Towing and HD Hauling	DX784★●
2002-01	Express 2500 Series with Diesel Engine 7700-8600 GVW	8 Lug Wheels	<b>DX459●</b>
2002-96	Express 2500 Series with 7300 GVW	6 Lug Wheels	<b>DX369</b>
		For Towing and HD Hauling	<b>DX369</b>

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

Years	Application Information	Dynamics
-------	-------------------------	----------

## CHEVROLET — Continued

### Van (¾ Ton) Express & G Models — Continued

2002-96	Express 2500 Series with Gas Engine 7700-8600 GVW	8 Lug Wheels	<b>DX845●</b>
2000-96	Express 2500 Series with Diesel Engine 7700-8600 GVW	8 Lug Wheels	<b>DX845●</b>
1995-71	G-20 Series		<b>DX52</b>

#### REAR PADS

2008-03	Express 2500 Series	With Rear Disc Brakes	<b>DX974A★</b>
---------	---------------------	-----------------------	----------------

#### REAR SHOES

2002-96	All	With 13" x 2.5" brake	BX451R
2002-96	Express 2500 Series with 7300GVW	With 11.16" x 2.75" brake	BX473 BX473R
2002-96	Express 2500 Series with 8600 LB. GVW	With 13" x 3.5" brake	BX452R
2000-78	7300 LB. GVW	With 11.16" x 2.75" brake	BX473 BX473R
1977-76	All	With 11.16" x 2.75" brake	BX450R
1973-67	All	With 11" x 2" brake	BX280 BX280R

#### PARKING BRAKE SHOES

2008-03	All	With 8.07" x 1.65" brake	BX771
---------	-----	--------------------------	-------

### Van (1 Ton) Express & G Models

#### FRONT PADS

2008-03	Express 3500 Series	For Towing and HD Hauling	<b>DX784★●</b>
			<b>DX784★●</b>
2002	Express 3500 Series		<b>DX459●</b>
2001	Express 3500 Series with 139" Wheel Base—Exc. G315 Chassis Cab & Dual Rear Wheel		<b>DX459●</b>
2001	Express 3500 Series with 139" Wheel Base G315 Chassis Cab—Exc. Dual Rear Wheels		<b>DX845●</b>
2001	Express 3500 Series with Dual RW		<b>DX459●</b>
2000-96	Express 3500 Series—Exc. Dual Rear Wheels		<b>DX845●</b>
2000-96	Express 3500 Series with Dual RW		<b>DX459●</b>
1995-88	G-30 Series—Exc. Dual Rear Wheels	With 13" x 3½" Rear Drum Brakes	<b>DX543</b>
1995-79	G-30 Series—Exc. Dual Rear Wheels	With 13" x 2½" Rear Drum Brakes	<b>DX153</b>
1995-74	G-30 Series with Dual RW		<b>DX543</b>
1980-76	G-30 Series	With 11" Rear Drum Brakes	<b>DX52</b>
1976-71	G-30 Series	With 13" Rear Drum Brakes	<b>DX52</b>

#### REAR PADS

2008-03	Express 3500 Series—Exc. Dual Rear Wheels	<b>DX974A★</b>
2008-03	Express 3500 Series with Dual RW	<b>DX989★●</b>

#### REAR SHOES

2002-76	All	With 13" x 3.5" brake	BX452R
1996-90	All	With 13" x 2.5" brake	BX451R
1991-76	G-30 & G-35 Series—Exc. Dual RW	With 13" x 2.5" brake	BX451R

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>CHEVROLET – Continued</b>			
<b>Van (1 Ton) Express &amp; G Models – Continued</b>			
1984-78	All	With 11.16" x 2.75" brake	BX473 BX473R
1977-76	SRW	With 11.16" x 2.75" brake	BX450R
<b>PARKING BRAKE SHOES</b>			
2008-03	All	With 8.07" x 1.65" brake	BX771
<b>Van - (1/2 Ton) P Series Step Van</b>			
<b>FRONT PADS</b>			
1980-71	P-10 Series		<b>DX52</b>
<b>FRONT SHOES</b>			
1970-64	P-10 & P-15 Series	With 11" x 2" brake	BX280 BX280R
1963-59	P-10 & P-15 Series	With 11" x 2" brake	BX228
<b>REAR SHOES</b>			
1980-78	P-10 & P-15 Series	With 11.16" x 2.75" brake	BX473 BX473R
1974-71	P-10 & P-15 Series	With 11" x 2" brake	BX280 BX280R
1970-64	P-10 & P-15 Series	With 11" x 2" brake	BX280 BX280R
1963-59	P-10 & P-15 Series	With 11" x 2" brake	BX228
<b>Van - (3/4 Ton) P Series Step Van</b>			
<b>FRONT PADS</b>			
1989-79	P-20 Series	With 11" Rear Drum Brakes	<b>DX52</b>
		With 13" Rear Drum Brakes	<b>DX153</b>
1978-71	P-20 Series		<b>DX52</b>
<b>REAR SHOES</b>			
1989-78	P-20 & P-25 Series	With 11.16" x 2.75" brake	BX473 BX473R
1989-76	P-20 & P-25 Series	With 13" x 2.5" brake	BX451R
1977-76	P-20 Series	With 11.16" x 2.75" brake	BX450R
1972-71	P-20 Series	With 12" x 2.5" brake	BX419R
<b>Van - (1 Ton) P Series Step Van</b>			
<b>FRONT PADS</b>			
1999-97	P-30 Series	With Rear Disc Brakes	<b>DX717●</b>
1999-94	P-30 Series	With 13" Rear Drum Brakes	<b>DX543</b>
1996-76	P-30 Series	With Rear Disc Brakes	<b>DX543</b>
1993-79	P-30 Series	With 13" x 3 1/2" Rear Drum Brakes	<b>DX543</b>
1993-79	P-30 Series—Exc. Dual Rear Wheels	With 13" x 2 1/2" Rear Drum Brakes	<b>DX153</b>
1986-79	P-30 Series	With 13" x 2 1/2" Rear Drum Brakes	<b>DX153</b>
		With 13" x 3 1/2" Rear Drum Brakes	<b>DX543</b>
1978-74	P-30 Series	With 13" x 2 1/2" Rear Drum Brakes	<b>DX52</b>
		With 13" x 3 1/2" Rear Drum Brakes	<b>DX543</b>
1978-71	P-30 Series	With 15" x 4" Rear Drum Brakes	<b>DX543</b>
1973-71	P-30 Series—Exc. Motorhome Chassis	With 13" & 15" Rear Drum Brakes	<b>DX52</b>

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**[BOLD NUMBER]** indicates Original Equipment Replacement Recommendation.

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMS TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

Years	Application Information	Dynamics
-------	-------------------------	----------

## CHEVROLET — Continued

### Van - (1 Ton) P Series Step Van — Continued

1973-71	P-30 Series 158" Wheel Base Motorhome	With 15" Rear Drum Brakes	<b>DX52</b>
1973-71	P-30 Series 178" Wheel Base Motorhome	With 15" Rear Drum Brakes	<b>DX543</b>
1973-71	P-30 Series Motorhome Chassis	With 13" x 2½" Rear Drum Brakes	<b>DX52</b>

#### REAR PADS

1999-97	P-30 Series	With Rear Disc Brakes	<b>DX717●</b>
1996-76	P-30 Series	With Rear Disc Brakes	<b>DX543</b>

#### REAR SHOES

2000-76	P-30 & P-35 Series	With 13" x 2.5" brake With 13" x 3.5" brake	BX451R BX452R
---------	--------------------	--	------------------

## DODGE

### Pickup (1 & 1 ½ Ton) 2 W.D.

#### FRONT PADS

1981	D-400 & D-450 Series	<b>DX269</b>
1980-79	D-400 & D-450 Series	<b>DX543</b>

#### REAR SHOES

1981-79	D-400 & D-450 Series	With 12" x 3" brake	BX358 BX358R
---------	----------------------	---------------------	-----------------

### Pickup (1 & 1 ½ Ton) 4 W.D.

#### FRONT PADS

1981-77	W-400 Series	<b>DX543</b>
---------	--------------	--------------

#### REAR SHOES

1981-77	W-400 Series	BX358 BX358R
---------	--------------	-----------------

### Pickup (½ Ton) 2 W.D. (Ram 1500 & D Models)

#### FRONT PADS

2008-06	Mega Cab 1500	<b>DX965★</b>
2008-06	Ram 1500 Series—Exc. SRT-10 & Mega Cab 1500	<b>DX1084★</b>
2006-05	SRT-10	<b>DX1085●</b>
2005	Ram 1500 Series—Exc. SRT-10	<b>DX1079★</b>
2004	SRT-10	<b>DX1054★●</b>
2004-03	Ram 1500 Series—Exc. SRT-10	<b>DX966★</b>
2002	Ram 1500 Series	<b>DX966A★</b>
2001-00	Ram 1500 Series	<b>DX702★●</b>
	For Towing and HD Hauling	<b>DX702★●</b>
1999-94	Ram 1500 Series	<b>DX369</b>
	For Towing and HD Hauling	<b>DX369</b>
1993-73	D-100 & D-150 Series	<b>DX269</b>

#### REAR PADS

2008-06	Mega Cab 1500	<b>DX702A★</b>
2008-02	Ram 1500 Series—Exc. SRT-10 & Mega Cab	<b>DX898★</b>
2006-04	SRT-10	<b>DX1077●</b>

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
-------	-------------------------	----------

### DODGE — Continued

#### Pickup (½ Ton) 2 W.D. (Ram 1500 & D Models) — Continued

##### FRONT SHOES

1971-59	D-100 & D-150 Series	With 11.03" x 2.25" brake	BX263 BX263R
---------	----------------------	---------------------------	-----------------

##### REAR SHOES

2001-00	Ram 1500 Series	With 11.03" x 2.25" brake	BX723 BX723R
1999-94	Ram 1500 Series	With 11" x 2" brake	BX462 BX462R
1993-74	D-100 & D-150 Series	With 11" x 2.5" brake	BX446 BX446R
1983-74	D-100 & D-150 Series	With 10" x 2.5" brake	BX445 BX445R
1964-59	D-100 & D-150 Series	With 11" x 2" brake	BX228

#### Pickup (¾ Ton) 2 W.D. (Ram 2500 & D Models)

##### FRONT PADS

2008-03	Ram 2500 Series	<b>DX965★</b>
2002-00	Ram 2500 Series	<b>DX859★</b>
1999-94	Ram 2500 Series with 7500 GVW	<b>DX845●</b>
1999-94	Ram 2500 Series with 8000 GVW	<b>DX459●</b>
1993-73	D-200 & D-250 Series	<b>DX269</b>

##### REAR PADS

2008-01	Ram 2500 Series	<b>DX702A★</b>
---------	-----------------	----------------

##### FRONT SHOES

1973-70	D-200 & D-250 Series	With 12" x 3" brake	BX358 BX358R
1969-60	D-200 & D-250 Series	With 12.13" x 2" brake	BX33

##### REAR SHOES

2001-00	Ram 2500 Series	With 12.13" x 3.50" brake	BX583 BX583R
1999-94	Ram 2500 Series	With 13" x 2.5" brake	BX451R
1993-90	D-200 & D-250 Series	With 11" x 2.5" brake	BX446 BX446R
1993-72	D-200 & D-250 Series	With 12" x 2.5" brake	BX357 BX357R
		With 12" x 3" brake	BX358 BX358R
1981-70	D-200 & D-250 Series	With 12.13" x 2" brake	BX33
1969-60	D-200 & D-250 Series	With 12.13" x 2" brake	BX33

##### PARKING BRAKE SHOES

2005-01	Ram 2500 Series	With 8.07" x 1.65" brake	BX771
---------	-----------------	--------------------------	-------

#### Pickup (1 Ton) 2 W.D. (Ram 3500 & D Models)

##### FRONT PADS

2008-03	Ram 3500 Series	<b>DX965★</b>
2002-00	Ram 3500 Series	<b>DX859★</b>
1999-94	Ram 3500 Series	<b>DX459●</b>
1993-73	D-300 & D-350 Series	<b>DX269</b>

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**INDICATES ORIGINAL EQUIPMENT REPLACEMENT RECOMMENDATION.**

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

Years	Application Information	Dynamics
-------	-------------------------	----------

## DODGE — Continued

### Pickup (1 Ton) 2 W.D. (Ram 3500 & D Models) — Continued

#### REAR PADS

2008-01	Ram 3500 Series	<b>DX702A★</b>
---------	-----------------	----------------

#### FRONT SHOES

1973-72	D-300 & D-350 Series	With 12" x 3" brake	BX358 BX358R
---------	----------------------	---------------------	-----------------

#### REAR SHOES

2001-00	Ram 3500 Series	With 12.13" x 3.50" brake	BX583 BX583R
1999-94	Ram 3500 Series	With 13" x 3.5" brake	BX452R
1993-78	D-300 & D-350 Series	With 12" x 2.5" brake	BX357 BX357R
1993-72	D-300 & D-350 Series	With 12" x 3" brake	BX358 BX358R
1979-78	D-300 & D-350 Series	With 12.13" x 2" brake	BX33

#### PARKING BRAKE SHOES

2005-01	Ram 3500 Series	With 8.07" x 1.65" brake	BX771
---------	-----------------	--------------------------	-------

### Pickup (½ Ton) 4 W.D. (Ram 1500 & W Models)

#### FRONT PADS

2008-06	Mega Cab 1500	<b>DX965★</b>
2008-06	Ram 1500 Series — Exc. Mega Cab	<b>DX1084★</b>
2005	Ram 1500 Series	<b>DX1079★</b>
2004-03	Ram 1500 Series	<b>DX966★</b>
2002	Ram 1500 Series	<b>DX966A★</b>
2001-00	Ram 1500 Series	<b>DX702★●</b>
	For Towing and HD Hauling	<b>DX702★●</b>
1999-94	Ram 1500 Series	<b>DX369</b>
	For Towing and HD Hauling	<b>DX369</b>
1993-75	W-100 & W-150 Series	<b>DX269</b>

#### REAR PADS

2008-06	Mega Cab 1500	<b>DX702A★</b>
2008-02	Ram 1500 Series — Exc. Mega Cab	<b>DX898★</b>

#### FRONT SHOES

1968-60	W-100 & W-150 Series	With 12.13" x 2" brake	BX33
---------	----------------------	------------------------	------

#### REAR SHOES

2001-00	Ram 1500 Series	With 11.03" x 2.25" brake	BX723 BX723R
1999-94	Ram 1500 Series	With 11" x 2" brake	BX462 BX462R
1993-84	W-100 & W-150 Series	With 12" x 2.5" brake	BX357 BX357R
1993-76	W-100 & W-150 Series	With 11" x 2.5" brake	BX446 BX446R
1990-84	W-100 & W-150 Series	With 12" x 3" brake	BX358 BX358R
1983-79	W-100 & W-150 Series	With 10" x 2.5" brake	BX445 BX445R
1968-60	W-100 & W-150 Series	With 12.13" x 2" brake	BX33

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>DODGE — Continued</b>			
<b>Pickup (¾ Ton) 4 W.D. (Ram 2500 &amp; W Models)</b>			
<b>FRONT PADS</b>			
2008-03	Ram 2500 Series		<b>DX965★</b>
2002-00	Ram 2500 Series		<b>DX859★</b>
1999-94	Ram 2500 Series with 7500 GVW		<b>DX845●</b>
1999-94	Ram 2500 Series with 8000 GVW		<b>DX459●</b>
1993-75	W-200 & W-250 Series with 3800lb Front Axle		<b>DX269</b>
1993-75	W-200 & W-250 Series with 4500lb Front Axle		<b>DX543</b>
<b>REAR PADS</b>			
2008-01	Ram 2500 Series		<b>DX702A★</b>
<b>FRONT SHOES</b>			
1974-72	W-200 & W-250 Series	With 12.13" x 2" brake With 12" x 3" brake	BX33 BX358 BX358R
1971-61	W-200 & W-250 Series	With 12.13" x 2" brake	BX33
<b>REAR SHOES</b>			
2001-00	Ram 2500 Series	With 12.13" x 3.50" brake	BX583 BX583R
1999-94	Ram 2500 Series	With 13" x 2.5" brake	BX451R
1993-78	W-200 & W-250 Series	With 11" x 2.5" brake  With 12" x 3" brake	BX446 BX446R BX358 BX358R
1993-72	W-200 & W-250 Series with 4500 LB. FRONT AXLE	With 12" x 2.5" brake	BX357 BX357R
1981-78	W-200 & W-250 Series	With 12.13" x 2" brake	BX33
1971-61	W-200 & W-250 Series	With 12.13" x 2" brake	BX33
<b>PARKING BRAKE SHOES</b>			
2005-01	Ram 2500 Series	With 8.07" x 1.65" brake	BX771
<b>Pickup (1 Ton) 4 W.D. (Ram 3500 &amp; W Models)</b>			
<b>FRONT PADS</b>			
2008-03	Ram 3500 Series		<b>DX965★</b>
2002-00	Ram 3500 Series		<b>DX859★</b>
1999-94	Ram 3500 Series		<b>DX459●</b>
1993-90	W-300 & W-350 Series		<b>DX543</b>
1989-88	W-300 & W-350 Series — Exc. 4500lb Front Axle		<b>DX269</b>
1989-84	W-300 & W-350 Series with 4500lb Front Axle		<b>DX543</b>
1987-84	W-300 & W-350 Series with 3800lb Front Axle		<b>DX269</b>
1983-82	W-300 & W-350 Series	With 12" x 2½" Rear Drum Brakes With 12" x 3" Rear Drum Brakes	<b>DX269</b> <b>DX543</b>
1981-75	W-300 & W-350 Series		<b>DX543</b>
<b>REAR PADS</b>			
2008-01	Ram 3500 Series		<b>DX702A★</b>
<b>FRONT SHOES</b>			
1974-72	W-300 & W-350 Series	With 12" x 3" brake	BX358 BX358R

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

Years	Application Information	Dynamics
-------	-------------------------	----------

## DODGE — Continued

### Pickup (1 Ton) 4 W.D. (Ram 3500 & W Models) — Continued

#### REAR SHOES

2001-00	Ram 3500 Series	With 12.13" x 3.50" brake	BX583 BX583R
1999-94	Ram 3500 Series	With 13" x 3.5" brake	BX452R
1993-78	W-300 & W-350 Series	With 12" x 2.5" brake	BX357 BX357R
1993-75	W-300 & W-350 Series	With 12" x 3" brake	BX358 BX358R
1981-80	W-300 & W-350 Series	With 12.13" x 2" brake	BX33
1974-72	W-300 & W-350 Series	With 12" x 3" brake	BX358 BX358R

#### PARKING BRAKE SHOES

2005-01	Ram 3500 Series	With 8.07" x 1.65" brake	BX771
---------	-----------------	--------------------------	-------

### Sprinter 3500

#### FRONT PADS

2008-07	Single Rear Wheels	<b>DX1268</b> <b>DX1268W△</b>
2007	Dual Rear Wheels	<b>DX1268</b>

### Step Van (¾ Ton) (P Models Forward Control)

#### FRONT SHOES

1974-60	P-200	With 12.13" x 2" brake	BX33
---------	-------	------------------------	------

#### REAR SHOES

1974-72	P-200	With 12" x 2.5" brake	BX357 BX357R
		With 12" x 3" brake	BX358 BX358R
1971-60	P-200	With 12.13" x 2" brake	BX33

### Step Van (1 Ton) (P Models Forward Control)

#### FRONT SHOES

1978-72	P-300 & P-350 Series	With 12" x 3" brake	BX358 BX358R
1971-60	P-300	With 12.13" x 2" brake	BX33

#### REAR SHOES

1978-72	P-300 & P-350 Series	With 12" x 3" brake	BX358 BX358R
---------	----------------------	---------------------	-----------------

### Van (½ Ton) Ram & B Models

#### FRONT PADS

2003	1500 Series	<b>DX966★</b>
2002-98	1500 Series	<b>DX702★●</b>
		<b>DX702★●</b>
1997-73	B-100, B-150 & 1500 Series	<b>DX269</b>

#### REAR PADS

2003	1500 Series	<b>DX898★</b>
------	-------------	---------------

#### REAR SHOES

2002-98	Ram 1500 Van	With 11.03" x 2.25" brake	BX723 BX723R
---------	--------------	---------------------------	-----------------

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>DODGE – Continued</b>			
<b>Van (½ Ton) Ram &amp; B Models – Continued</b>			
1997-74	B100 & B150 Series	With 11" x 2.5" brake	BX446 BX446R
1983-74	B100 & B150 Series	With 10" x 2.5" brake	BX445 BX445R
<b>Van (¾ Ton) Ram &amp; B Models - Inc. Wagon</b>			
<b>FRONT PADS</b>			
2005-99	2500 Series		<b>DX655★●</b>
1998	2500 Series	With 8.67" Front Disc Pads	<b>DX655★●</b>
1998-73	B-200, B-250 & 2500 Series		<b>DX269</b>
<b>REAR SHOES</b>			
2003-98	Ram 2500 Van	With 12.13" x 3.50" brake	BX583 BX583R
2002-99	Ram 2500 Van	With 11.03" x 2.25" brake	BX723 BX723R
1997-74	B200 & B250 Series	With 11" x 2.5" brake	BX446 BX446R
1983-74	B200 & B250 Series	With 10" x 2.5" brake	BX445 BX445R
<b>Van (1 Ton) Ram &amp; B Models</b>			
<b>FRONT PADS</b>			
2005-98	3500 Series		<b>DX655★●</b>
1997-73	B-300, B-350 & 3500 Series		<b>DX269</b>
<b>FRONT SHOES</b>			
1972-70	B-300 & B-350 Series	With 12" x 3" brake	BX358 BX358R
<b>REAR SHOES</b>			
2003-98	B-300 & B-350 Series	With 12.13" x 3.50" brake	BX583 BX583R
2002-00	All	With 11.03" x 2.25" brake	BX723 BX723R
1997-72	B-300 & B-350 Series	With 12" x 3" brake	BX358 BX358R
1997-71	B-300 & B-350 Series	With 12" x 2.5" brake	BX357 BX357R
1981-78	B-300 & B-350 Series	With 12.13" x 2" brake	BX33
<b>Van - Sprinter 2500 Series (¾ Ton)</b>			
<b>FRONT PADS</b>			
2006-03	All	With Bosch Caliper & 2 Wire Wear Sensors; Pad Length 6.5"	<b>DX949A●△</b>
		With Bosch Caliper without Wire Wear Sensors; Pad Length 6.5"	<b>DX949●</b>
		With Teves Caliper & 2 Wire Wear Sensors	<b>DX950A△</b>
		With Teves Caliper without Wire Wear Sensors; Pad Length 6.2"	<b>DX950</b>

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMS TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**DX949A** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>DODGE — Continued</b>			
<b>Van - Sprinter 2500 Series (¾ Ton) — Continued</b>			
<b>REAR PADS</b>			
2006-03	All	With Bosch Caliper & 2 Pads with Wire Wear Sensors; Pad Length 5.0"	<b>DX928A</b> △
		With Teves Caliper & 2 Wire Wear Sensors; Pad Length 5.2"	<b>DX1006A</b> △
		With Teves Caliper without Wire Wear Sensors; Pad Length 5.2"	<b>DX1006</b>
<b>Van - Sprinter 3500 Series (1 Ton)</b>			
<b>FRONT PADS</b>			
2006-03	All	With Bosch Caliper & 2 Wire Wear Sensors; Pad Length 6.5"	<b>DX949A</b> ●△
		With Bosch Caliper without Wire Wear Sensors; Pad Length 6.5"	<b>DX949</b> ●
		With Teves Caliper & 2 Wire Wear Sensors; Pad Length 6.2"	<b>DX950A</b> △
		With Teves Caliper without Wire Wear Sensors; Pad Length 6.2"	<b>DX950</b>
<b>REAR PADS</b>			
2006-03	16" Wheels	With Teves Caliper & 2 Wire Wear Sensors; Pad Length 5.2"	<b>DX1006A</b> △
		With Teves Caliper without Wire Wear Sensors; Pad Length 5.2"	<b>DX1006</b>
2006-03	All	With Bosch Caliper & 2 Wire Wear Sensors; Pad Length 6.5"	<b>DX949A</b> ●△
		With Bosch Caliper without Wire Wear Sensors; Pad Length 6.5"	<b>DX949</b> ●
2006-03	All — Exc. 16" Wheels	With Teves Caliper & 2 Wire Wear Sensors	<b>DX951A</b> △
		With Teves Caliper without Wire Wear Sensors; Pad Length 5.6"	<b>DX951</b>
<b>FORD</b>			
<b>Crown Victoria</b>			
<b>FRONT PADS</b>			
1993-86	Police & Taxi		<b>DX150</b>
<b>P Series-Parcel Delivery</b>			
<b>FRONT SHOES</b>			
1976-60	P-350.400	With 12.13" x 2" brake	<b>BX33</b>
<b>REAR SHOES</b>			
1976-67	P-350.400	With 12" x 2.5" brake	BX357 BX357R
		With 12" x 3" brake	BX358 BX358R
1966-60	P-350.400	With 12.13" x 2" brake	<b>BX33</b>
<b>Pickup (½ Ton) 2 W.D. (F Series)</b>			
<b>FRONT PADS</b>			
2008-04	F-150 Series — Exc. Heritage Series		<b>DX1083</b> ★

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
<b>FORD – Continued</b>		
<b>Pickup (½ Ton) 2 W.D. (F Series) – Continued</b>		
2004	F-150 Heritage Series (Old Body Style)—Exc. 7700 GVW Package	Standard Brakes For Towing and HD Hauling
		<b>DX679★●</b>
		<b>DX679★●</b>
2004	F-150 Heritage Series w/ 7700 GVW Package	For Towing and HD Hauling
		<b>DX702★●</b>
		<b>DX702★●</b>
2003-00	F-150 Series—Exc. Lightning & 7700 GVW Package	Standard Brakes For Towing and HD Hauling
		<b>DX679★●</b>
		<b>DX679★●</b>
2003-00	F-150 Series w/ 7700 GVW Package—Exc. Lightning	For Towing and HD Hauling
		<b>DX702★●</b>
		<b>DX702★●</b>
1999-97	F-150 Series—Exc. Lightning	Standard Duty For Towing and HD Hauling
		<b>DX679★●</b>
		<b>DX679★●</b>
1996-94	F-150 Series	
		<b>DX632★</b>
1993-87	F-150 Series	
		<b>DX375</b>
1986-76	F-100 & F-150 Series	With 11" Rear Drum Brakes
		<b>DX50</b>
<b>REAR PADS</b>		
2008-04	F-150 Series—Exc. Heritage Series	
		<b>DX1012★</b>
2004	F-150 Heritage Series (Old Body Style)	
		<b>DX711★●</b>
2003-97	F-150 Series	With Rear Disc Brakes
		<b>DX711★●</b>
<b>FRONT SHOES</b>		
1964-50	All	With 11" x 2" brake
		<b>BX228</b>
<b>REAR SHOES</b>		
2001-97	All	With 11.03" x 2.25" brake
		<b>BX723</b> <b>BX723R</b>
1996-87	All	With 11.03" x 2.25" brake
		<b>BX582</b> <b>BX582R</b>
1986-68	All	With 11.03" x 2.25" brake
		<b>BX263</b> <b>BX263R</b>
1982-80	All	With 10" x 2.5" brake
		<b>BX169R</b>
1966-48	All	With 11" x 1.75" brake
		<b>BX55</b>
<b>PARKING BRAKE SHOES</b>		
2007-97	All	With 9" x 1.18" brake
		<b>BX752</b>
<b>Pickup (¾ Ton) 2 W.D. (F &amp; Superduty Series)</b>		
<b>FRONT PADS</b>		
2008-05	F-250 Superduty Series	
		<b>DX1069★●</b>
2004-99	F-250 Superduty Series	
		<b>DX824★●</b>
1999-97	F-250 Series—Exc. Superduty	For Towing and HD Hauling
		<b>DX702★●</b>
		<b>DX702★●</b>
1996-95	F-250 Series	
		<b>DX655★●</b>
1994-86	F-250 Series	
		<b>DX450●</b>
1985-80	F-250 Series Heavy Duty	With Dual Piston Caliper With Single Piston Caliper
		<b>DX450●</b>
		<b>DX50</b>
1985-80	F-250 Series Standard Duty	With Dual Piston Caliper With Single Piston Caliper
		<b>DX450●</b>
		<b>DX50</b>
1979-76	F-250 Series	With Dual Piston Caliper
		<b>DX450●</b>
1979-73	F-250 Series	With Single Piston Caliper
		<b>DX50</b>

 FLEET VEHICLES/  
LIGHT TRUCKS

 MEDIUM/HEAVY  
DUTY TRUCKS

 NUMERICAL  
LISTING

 FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

 TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**INDICATES ORIGINAL EQUIPMENT REPLACEMENT RECOMMENDATION.**

Years	Application Information	Dynamics
-------	-------------------------	----------

## FORD — Continued

### Pickup (¾ Ton) 2 W.D. (F & Superduty Series) — Continued

#### REAR PADS

2008	F-250 Superduty Series	<b>DX1067★●</b>
2007-05	F-250 Superduty Series	<b>DX1068★●</b>
	With Special Anti-Rattle NEC Kit	<b>DX1068A★●</b>
2004-99	F-250 Superduty Series	<b>DX757★●</b>
1999-97	F-250 Series—Exc. Superduty	<b>DX711★●</b>

#### FRONT SHOES

1975-73	All	With 12.13" x 2" brake	BX33
1972-67	All	With 12.13" x 2" brake	BX33
1966-60	All	With 12.13" x 2" brake	BX33

#### REAR SHOES

1999-76	All	With 12" x 3" brake	BX358 BX358R
1999-66	All	With 12" x 2.5" brake	BX357 BX357R
1976-73	F-250 Series—Inc. 6200#	With 12.13" x 2" brake	BX33
1972-60	All	With 12.13" x 2" brake	BX33

#### PARKING BRAKE SHOES

2004-99	All	With 8.07" x 1.65" brake	BX771
1999-97	F-250 Series	With 9" x 1.18" brake	BX752

### Pickup (1 Ton) 2 W.D. (F & Superduty Series)

#### FRONT PADS

2008-05	F-350 Superduty Series	With Special NEC Kit for Dual Rear Wheels	<b>DX1069★●</b>
			<b>DX1069A★●</b>
2004-99	F-350 Superduty Series		<b>DX824★●</b>
1999-95	F-350 Series—Exc. Superduty		<b>DX655★●</b>
1994-76	F-350 Series		<b>DX450●</b>

#### REAR PADS

2008	F-350 Superduty Series	<b>DX1067★●</b>
2007-05	F-350 Superduty Pickup Series w/ Dual Rear Wheels	<b>DX1067★●</b>
2007-05	F-350 Superduty Pickup Series w/ Single Rear Wheel	<b>DX1068★●</b>
		With Special Anti-Rattle NEC Kit
2004-99	F-350 Superduty Series	<b>DX757★●</b>

#### FRONT SHOES

1966-60	All	With 12.13" x 2" brake	BX33
---------	-----	------------------------	------

#### REAR SHOES

1997-87	All	With 12.13" x 3.50" brake	BX583 BX583R
1997-67	All	With 12" x 3" brake	BX358 BX358R
1979	All	With 12" x 2.5" brake	BX357 BX357R

#### PARKING BRAKE SHOES

2004-99	All	With 8.07" x 1.65" brake	BX771
---------	-----	--------------------------	-------

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>FORD – Continued</b>			
<b>Pickup / Chassis Cab - F-450 Superduty 2 W.D.</b>			
<b>FRONT PADS</b>			
2007-05	F-450 Superduty Series		<b>DX1066★●</b>
2004-99	F-450 Superduty Series		<b>DX777★●</b>
1998-88	F-450 Superduty & F47 Series		<b>DX411●</b>
<b>REAR PADS</b>			
2007-05	F-450 Superduty Series		<b>DX1066★●</b>
2004-99	F-450 Superduty Series		<b>DX777★●</b>
1998-88	F-450 Superduty & F47 Series		<b>DX411●</b>
<b>PARKING BRAKE SHOES</b>			
2004-99	F-450 Superduty Series (F47)	With 9.53" x 2.44" brake	BX772
<b>Pickup / Chassis Cab - F-550 Superduty 2 W.D.</b>			
<b>FRONT PADS</b>			
2007-05	F-550 Superduty Series		<b>DX1066★●</b>
2004-99	F-550 Superduty Series		<b>DX777★●</b>
<b>REAR PADS</b>			
2007-05	F-550 Superduty Series		<b>DX1066★●</b>
2004-99	F-550 Superduty Series		<b>DX777★●</b>
<b>PARKING BRAKE SHOES</b>			
2004-99	F-550 Superduty Series	With 9.53" x 2.44" brake	BX772
<b>Pickup (½ Ton) 4 W.D. (F Series)</b>			
<b>FRONT PADS</b>			
2008-04	F-150 Series—Exc. Heritage Series		<b>DX1083★</b>
2004	F-150 Heritage Series (Old Body Style)—Exc. 7700 GVW Package	Standard Duty	<b>DX679★●</b>
		For Towing and HD Hauling	<b>DX679★●</b>
2004	F-150 Heritage Series w/ 7700 GVW Package	Standard Duty	<b>DX702★●</b>
		For Towing and HD Hauling	<b>DX702★●</b>
2003-00	F-150 Heritage Series—Exc. 7700 GVW Package	Standard Duty	<b>DX679★●</b>
		For Towing and HD Hauling	<b>DX679★●</b>
2003-00	F-150 Series w/ 7700 GVW Package	Standard Duty	<b>DX702★●</b>
		For Towing and HD Hauling	<b>DX702★●</b>
1999-97	F-150 Series	Standard Duty	<b>DX679★●</b>
		For Towing and HD Hauling	<b>DX679★●</b>
1996-94	F-150 Series		<b>DX632★</b>
1993-86	F-150 Series		<b>DX375</b>
1986-76	F-100 & F-150 Series	With 11" Rear Drum Brakes	<b>DX50</b>
<b>REAR PADS</b>			
2008-04	F-150 Series—Exc. Heritage Series		<b>DX1012★</b>
2004	F-150 Heritage Series (Old Body Style)		<b>DX711★●</b>
2003-97	F-150 Series	With Rear Disc Brakes	<b>DX711★●</b>
<b>FRONT SHOES</b>			
1964-50	All	With 11" x 2" brake	BX228
<b>REAR SHOES</b>			
2001-97	All	With 11.03" x 2.25" brake	BX723 BX723R

 FLEET VEHICLES/  
LIGHT TRUCKS

 MEDIUM/HEAVY  
DUTY TRUCKS

 NUMERICAL  
LISTING

 FMS TO MONROE  
INTERCHANGE

INSTALLATION TIPS

 TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**[BOLD NUMBER]** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
-------	-------------------------	----------

## FORD — Continued

### Pickup (½ Ton) 4 W.D. (F Series) — Continued

1996-87	All	With 11.03" x 2.25" brake	BX582 BX582R
1986-68	All	With 11.03" x 2.25" brake	BX263 BX263R
1982-80	All	With 10" x 2.5" brake	BX169R
1964-59	All	With 11" x 1.75" brake	BX55

#### PARKING BRAKE SHOES

2007-97	All	With 9" x 1.18" brake	BX752
---------	-----	-----------------------	-------

### Pickup (¾ Ton) 4 W.D. (F & Superduty Series)

#### FRONT PADS

2008-05	F-250 Superduty Series		<b>DX1069★●</b>
2004-99	F-250 Superduty Series		<b>DX824★●</b>
1999-97	F-250 Series—Exc. Superduty	For Towing and HD Hauling	<b>DX702★●</b>
			<b>DX702★●</b>
1996-95	F-250 Series		<b>DX655★●</b>
1994-76	F-250 Series		<b>DX450●</b>

#### REAR PADS

2008	F-250 Superduty Series		<b>DX1067★●</b>
2007-05	F-250 Superduty Series	With Special Anti-Rattle NEC Kit	<b>DX1068★●</b>
			<b>DX1068A★●</b>
2004-99	F-250 Superduty Series		<b>DX757★●</b>
1999-97	F-250 Series—Exc. Superduty		<b>DX711★●</b>

#### FRONT SHOES

1972-60	All	With 12.13" x 2" brake	BX33
---------	-----	------------------------	------

#### REAR SHOES

1999-76	All	With 12" x 3" brake	BX358 BX358R
1999-66	All	With 12" x 2.5" brake	BX357 BX357R
1976-73	F-250 Series—Inc. 6200#	With 12.13" x 2" brake	BX33
1972-60	All	With 12.13" x 2" brake	BX33

#### PARKING BRAKE SHOES

2004-99	All	With 8.07" x 1.65" brake	BX771
1999-97	F-250 Series	With 9" x 1.18" brake	BX752

### Pickup (1 Ton) 4 W.D. (F & Superduty Series)

#### FRONT PADS

2008-05	F-350 Superduty Series	With Special NEC Kit for Dual Rear Wheels	<b>DX1069★●</b>
			<b>DX1069A★●</b>
2004-99	F-350 Superduty Series		<b>DX824★●</b>
1999-95	F-350 Series—Exc. Superduty		<b>DX655★●</b>
1994-76	F-350 Series		<b>DX450●</b>

#### REAR PADS

2008	F-350 Superduty Series		<b>DX1067★●</b>
2007-05	F-350 Superduty Pickup Series w/ Dual Rear Wheels		<b>DX1067★●</b>
2007-05	F-350 Superduty Pickup Series w/ Single Rear Wheel	With Special Anti-Rattle NEC Kit	<b>DX1068★●</b>
			<b>DX1068A★●</b>

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
<b>FORD – Continued</b>		
<b>Pickup (1 Ton) 4 W.D. (F &amp; Superduty Series) – Continued</b>		
2004-99	F-350 Superduty Series	<b>DX757★●</b>
<b>FRONT SHOES</b>		
1966-60	All With 12.13" x 2" brake	BX33
<b>REAR SHOES</b>		
1997-87	F-350 Series With 12.13" x 3.50" brake	BX583 BX583R
1997-67	All With 12" x 3" brake	BX358 BX358R
1979	F-350 Series With 12" x 2.5" brake	BX357 BX357R
<b>PARKING BRAKE SHOES</b>		
2004-99	All With 8.07" x 1.65" brake	BX771
<b>Pickup / Chassis Cab - F-450 Superduty 4 W.D.</b>		
<b>FRONT PADS</b>		
2007-05	F-450 Superduty & F47 Series	<b>DX1066★●</b>
2004-99	F-450 Superduty & F47 Series	<b>DX777★●</b>
<b>REAR PADS</b>		
2007-05	F-450 Superduty & F47 Series	<b>DX1066★●</b>
2004-99	F-450 Superduty & F47 Series	<b>DX777★●</b>
<b>PARKING BRAKE SHOES</b>		
2004-99	F-450 Superduty Series (F47) With 9.53" x 2.44" brake	BX772
<b>Pickup / Chassis Cab - F-550 Superduty 4 W.D.</b>		
<b>FRONT PADS</b>		
2007-05	F-550 Superduty Series	<b>DX1066★●</b>
2004-99	F-550 Superduty Series	<b>DX777★●</b>
<b>REAR PADS</b>		
2007-05	F-550 Superduty Series	<b>DX1066★●</b>
2004-99	F-550 Superduty Series	<b>DX777★●</b>
<b>PARKING BRAKE SHOES</b>		
2004-99	F-550 Superduty Series With 9.53" x 2.44" brake	BX772
<b>Stripped Chassis - F53 &amp; F59 Superduty</b>		
<b>FRONT PADS</b>		
2004-99	RV, Motorhome & Stripped Chassis	<b>DX777★●</b>
1998-88	RV, Motorhome & Stripped Chassis	<b>DX411●</b>
<b>REAR PADS</b>		
2004-99	RV, Motorhome & Stripped Chassis	<b>DX777★●</b>
1998-88	RV, Motorhome & Stripped Chassis	<b>DX411●</b>
<b>Van (½ Ton) E Series</b>		
<b>FRONT PADS</b>		
2008	E-150 Series	<b>DX1328★</b>
2007-04	E-150 Series	<b>DX1045★</b>
2003-94	E-150 Series	<b>DX632★</b>
1993-87	E-150 Series, E-100 Series	<b>DX375</b>
1986-75	E-150 Series, E-100 Series	<b>DX50</b>

 FLEET VEHICLES/  
LIGHT TRUCKS

 MEDIUM/HEAVY  
DUTY TRUCKS

 NUMERICAL  
LISTING

 FMS TO MONROE  
INTERCHANGE

INSTALLATION TIPS

 TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**INDICATES ORIGINAL EQUIPMENT REPLACEMENT RECOMMENDATION.**

Years	Application Information	Dynamics
-------	-------------------------	----------

## FORD – Continued

### Van (½ Ton) E Series – Continued

#### REAR PADS

2008	E-150 Series	<b>DX1329★</b>
2007-04	E-150 Series	<b>DX1046★</b>

#### FRONT SHOES

1971-69	E-100 & E-150 Series	With 10" x 2.5" brake	BX169R
1967-61	E-100 Series	With 10" x 2.5" brake	BX169R

#### REAR SHOES

2006-97	E-150 Series	With 11.03" x 2.25" brake	BX723 BX723R
1996-87	E-150 Series	With 11.03" x 2.25" brake	BX582 BX582R
1986-75	E-100 & E-150 Series	With 11.03" x 2.25" brake	BX263 BX263R
1974-61	E-100 & E-150 Series	With 10" x 1.75" brake	BX267
1967-61	E-100 Series	With 10" x 2.5" brake	BX169R

### Van (¾ Ton) E Series

#### FRONT PADS

2008	E-250 Series	<b>DX1328★</b>
2007-95	E-250 Series	<b>DX655★●</b>
1994-92	E-250 Series	<b>DX557★</b>
1991-75	E-250 Series	<b>DX450●</b>

#### REAR PADS

2008	E-250 Series	<b>DX1329★</b>
2007-99	E-250 Series	<b>DX802★●</b>

#### REAR SHOES

2006-84	E-250 Series	With 12" x 3" brake	BX358 BX358R
2006-75	E-200 & E-250 Series	With 12" x 2.5" brake	BX357 BX357R
1974-69	E-200 & E-250 Series	With 11.03" x 2.25" brake	BX263 BX263R

#### PARKING BRAKE SHOES

Nov 04-99	E-250 Series	With 8.07" x 1.65" brake	BX771
-----------	--------------	--------------------------	-------

### Van (1 Ton) E Series

#### FRONT PADS

2008	E-Superduty	<b>DX1328★</b>	
2007-95	E-350 Series	<b>DX655★●</b>	
2002-96	E-Superduty	Mounting clips attached to outboard pads	<b>DX411●</b>
1994-92	E-350 Series		<b>DX557★</b>
1991-77	E-350 Series		<b>DX450●</b>
1976-75	E-350 Series with Dual RW From Chassis #A750,000		<b>DX450●</b>
1976-75	E-350 Series with Single RW From Chassis #A750,000		<b>DX450●</b>

#### REAR PADS

2008	E-Superduty	<b>DX1329★</b>
2007-99	E-350 Series	<b>DX802★●</b>
2002-96	E-Superduty	<b>DX411●</b>

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>FORD – Continued</b>			
<b>Van (1 Ton) E Series – Continued</b>			
<b>FRONT SHOES</b>			
1974-69	E-300 Series	With 12" x 3" brake	BX358 BX358R
<b>REAR SHOES</b>			
2004-75	E-350 Series	With 12" x 3" brake	BX358 BX358R
1998-87	E-350 Series	With 12.13" x 3.50" brake	BX583 BX583R
1974-69	E-300 Series	With 12" x 3" brake	BX358 BX358R
1974-68	E-300 Series	With 12" x 2.5" brake	BX357 BX357R
<b>PARKING BRAKE SHOES</b>			
Nov 04-99	E-350 Series	With 8.07" x 1.65" brake	BX771
<b>Van - (1+ Ton) E Series</b>			
<b>FRONT PADS</b>			
2007-03	E-450 Series		<b>DX655★●</b>
2006-02	E-550 Series		<b>DX777★●</b>
2002-96	E-450 Series		<b>DX411●</b>
<b>REAR PADS</b>			
2007-05	E-450 Series		<b>DX411●</b>
2006-02	E-550 Series		<b>DX777★●</b>
2004-03	E-450 Series		<b>DX655★●</b>
2002-96	E-450 Series		<b>DX411●</b>
<b>PARKING BRAKE SHOES</b>			
2006-99	E-450 Series—Exc. Trans Mounted	With 8.07" x 1.65" brake	BX771
2005-02	E-550 Series	With 9.53" x 2.44" brake	BX772
<b>GMC</b>			
<b>3100 &amp; 3200 Series 2 W.D.- ½ Ton</b>			
<b>FRONT SHOES</b>			
1958-51	3100 & 3200 Series	With 11" x 2" brake	BX228
<b>REAR SHOES</b>			
1959-51	All	With 11" x 1.75" brake	BX55
<b>3100 &amp; 3200 Series 4 W.D.- ½ Ton</b>			
<b>REAR SHOES</b>			
1959-57	3100 & 3200 Series	With 11" x 2" brake	BX228
1959-57	All	With 11" x 1.75" brake	BX55
<b>3600 Series 2 W.D. - ¾ Ton</b>			
<b>FRONT SHOES</b>			
1958	3600 Series	With 11" x 2" brake	BX228
<b>Pickup (½ Ton) 2 W.D. (Sierra, C &amp; R Models)</b>			
<b>FRONT PADS</b>			
2008-05	Sierra 1500 Series—Exc. 1500HD	Pad Length 7.2"	<b>DX1092★</b>

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**[BOLD NUMBER]** indicates Original Equipment Replacement Recommendation.

 FLEET VEHICLES/  
LIGHT TRUCKS

 MEDIUM/HEAVY  
DUTY TRUCKS

 NUMERICAL  
LISTING

 FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

 TECHNICAL  
INFORMATION

Years	Application Information	Dynamics
<b>GMC – Continued</b>		
<b>Pickup (½ Ton) 2 W.D. (Sierra, C &amp; R Models) – Continued</b>		
2007-01	Sierra 1500 HD Pad Length 8.5" For Towing and HD Hauling	DX784★● DX784★●
2007-99	Sierra 1500 Series—Exc. 1500HD Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
1999-92	C-1500 Series For Towing and HD Hauling	<b>DX369</b> <b>DX369</b>
1991-88	C-1500 Series	<b>DX368●</b>
1991-88	C-1500 Series Heavy Duty, Extended Cab For Towing and HD Hauling	<b>DX369</b> <b>DX369</b>
1987	R-15 Series	<b>DX52</b>
1987-70	C-15 Series	<b>DX52</b>
<b>REAR PADS</b>		
2008-07	New Body Style	<b>DX1194★</b>
2007-04	Sierra 1500 Extended Cab—Exc. 1500HD & QuadraSteer With Special Heavy Duty NEC Kit	DX792★ DX792A★
2007-03	Sierra 1500HD Crew Cab & Extended Cab—Exc. QuadraSteer Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
2006-04	Sierra 1500 Crew Cab—Exc. 1500HD	DX975★
2006-04	Sierra 1500 Extended Cab with QuadraSteer—Exc. 1500HD & Hybrid Electric Pad Length 5.6" With Special Heavy Duty NEC Kit Pad Length 7.2"	DX792★ DX792A★ DX975★
2006-01	Sierra 1500 Regular Cab—Exc. QuadraSteer With Special Heavy Duty NEC Kit	DX792★ DX792A★
2003	Sierra 1500HD Crew Cab with QuadraSteer With Special Heavy Duty NEC Kit	DX792★ DX792A★
2003-02	Sierra 1500 Extended Cab Pad Length 5.6" Pad Length 7.2" With Special Heavy Duty NEC Kit	DX792★ DX975★ DX792A★
2002-01	Sierra 1500HD Crew Cab Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
2000-99	Sierra 1500 Series With Special Heavy Duty NEC Kit	DX792★ DX792A★
<b>FRONT SHOES</b>		
1970-64	C-15 Series With 11" x 2" brake	BX280 BX280R
1963-59	C-15 Series With 11" x 2" brake	BX228
<b>REAR SHOES</b>		
2008-05	Sierra 1500 With 11.68" x 2.43" brake	BX855
1999-93	C1500 Series With 10" x 2.24" brake	BX675 BX675R
1999-78	C-15 & C-1500 Series With 11.16" x 2.75" brake	BX473 BX473R
1987	R-15 Series With 11" x 2" brake	BX449 BX449R

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>GMC – Continued</b>			
<b>Pickup (½ Ton) 2 W.D. (Sierra, C &amp; R Models) – Continued</b>			
1986-76	C-15 Series	With 11" x 2" brake	BX449 BX449R
1977-76	C-15 Series	With 11.16" x 2.75" brake	BX450R
1975-71	C-15 Series	With 11" x 2" brake	BX280 BX280R
1970-64	C-15 Series	With 11" x 2" brake	BX280 BX280R
1963-59	C-15 Series	With 11" x 2" brake	BX228
<b>PARKING BRAKE SHOES</b>			
2008-99	Sierra 1500—Exc. HD	With 8.27" x 1.18" brake	BX781
2006-03	Sierra 1500 HD with Quadrasteer	With 8.27" x 1.18" brake	BX781
2006-01	Sierra 1500 HD	With 8.07" x 1.65" brake	BX771
<b>Pickup (¾ Ton) 2 W.D. (Sierra, C &amp; R Models)</b>			
<b>FRONT PADS</b>			
2008-99	Sierra 2500 & 2500HD Series	Pad Length 8.5"	DX784★●
		For Towing and HD Hauling	DX784★●
2006-05	Sierra 2500 Series	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●
2000-89	C-2500 Series with 8600 GVW	With 13" Rear Drum Brakes	<b>DX845●</b>
1998-88	C-2500 Series with 7200 GVW	With 11" Rear Drum Brakes	<b>DX369</b>
		For Towing and HD Hauling	<b>DX369</b>
1989-87	R-25 and R-2500 Series		<b>DX153</b>
1986-79	C-20 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1986-71	C-20 Series	With 11" Rear Drum Brakes	<b>DX52</b>
<b>REAR PADS</b>			
2008-99	Sierra 2500 & 2500HD Series	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●
<b>REAR SHOES</b>			
2000-89	C-2500 Series	With 13" x 2.5" brake	BX451R
2000-78	C-25 & C2500 Series with 7200 LB. GVW	With 11.16" x 2.75" brake	BX473 BX473R
1989-87	R-25 & R-2500 Series	With 13" x 2.5" brake	BX451R
1988-87	R-25 & R-2500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-76	C-25 Series	With 13" x 2.5" brake	BX451R
1977-76	C-25 Series	With 11.16" x 2.75" brake	BX450R
1972-67	C25 Series	With 12" x 2.5" brake	BX419R
1959-53	C-25 Series	With 11" x 1.75" brake	BX55
<b>PARKING BRAKE SHOES</b>			
2008-99	Sierra 2500	With 8.07" x 1.65" brake	BX771
2004	Sierra 2500 HD with Quadrasteer	With 8.27" x 1.18" brake	BX781

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
-------	-------------------------	----------

**GMC – Continued**

**Pickup (1 Ton) 2 W.D. (Sierra, C & R Models)**

**FRONT PADS**

2008-01	Sierra 3500 Series	Pad Length 8.5"	DX784★●
		For Towing and HD Hauling	DX784★●
2002-95	C-3500HD Series with Dual RW	With Rear Disc Brakes	<b>DX717●</b>
2000-97	C-3500 Series—Exc. Dual Rear Wheel & Extended Cab		<b>DX845●</b>
2000-96	C-3500 Series Extended Cab and Dual RW	With Rear Drum Brakes	<b>DX459●</b>
1996-95	C-3500 Series—Exc. Dual Rear Wheel & Extended Cab	With 13" Rear Drum Brakes	<b>DX845●</b>
1994	C-3500 Series with Dual RW from Chassis #RJ107933	With Rear Disc Brakes	<b>DX717●</b>
1994	C-3500 Series with Dual RW to Chassis #RJ107933	With Rear Drum Brakes	<b>DX543</b>
1994-88	C-3500 Series with Single RW	With 13" Rear Drum Brakes	<b>DX845●</b>
1993-90	C-3500 Series	With Rear Drum Brakes	<b>DX459●</b>
1993-90	C-3500 Series with Dual RW	With Rear Disc Brakes	<b>DX543</b>
1991-87	R-35 & R-3500 Series		<b>DX543</b>
1986-81	C-35 Series		<b>DX543</b>
1980-79	C-35 Series	With 13" x 2½" Rear Drum Brakes	<b>DX153</b>
1980-74	C-35 Series	With 13" x 3½" Rear Drum Brakes	<b>DX543</b>
1978-71	C-35 Series	With 13" x 2½" Rear Drum Brakes	<b>DX52</b>
1972-71	C-35 Series	With 15" x 4" Rear Drum Brakes	<b>DX52</b>

**REAR PADS**

2008-05	Sierra 3500 Series	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●
2008-01	Sierra 3500 Series	Pad Length 8.5"	DX909★●
2002-95	C-3500HD Series with Dual RW	With Rear Disc Brakes	<b>DX717●</b>

**REAR SHOES**

2000-76	C-35 & C-3500 Series	With 13" x 3.5" brake	BX452R
1991-87	R-30 & R-3500 Series	With 13" x 2.5" brake	BX451R
		With 13" x 3.5" brake	BX452R
1989-88	C-3500 Series	With 13" x 2.5" brake	BX451R
1986-76	C-35 Series	With 13" x 2.5" brake	BX451R

**PARKING BRAKE SHOES**

2008-01	Sierra 3500	With 8.07" x 1.65" brake	BX771
---------	-------------	--------------------------	-------

**Pickup (½ Ton) 4 W.D. (Sierra, K & V Models)**

**FRONT PADS**

2008-05	Sierra 1500 Series—Exc. 1500HD	Pad Length 7.25"	DX1092★
2007-01	Sierra 1500 HD	Pad Length 8.5"	DX784★●
		For Towing and HD Hauling	DX784★●
2007-99	Sierra 1500 Series—Exc. 1500HD Crew Cab	Pad Length 7.0"	DX785★●
		For Towing and HD Hauling	DX785★●
1999-92	K-1500 Series		<b>DX369</b>
		For Towing and HD Hauling	<b>DX369</b>

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>GMC – Continued</b>			
<b>Pickup (½ Ton) 4 W.D. (Sierra, K &amp; V Models) – Continued</b>			
1991-88	K-1500 Series Regular Cab HD Chassis, Extended Cab Standard Chassis For Towing and HD Hauling		<b>DX369</b> <b>DX369</b>
1991-88	K-1500 Series Regular Cab Standard Chassis		<b>DX368●</b>
1987	V-15 Series		<b>DX52</b>
1986-71	K-15 Series		<b>DX52</b>
<b>REAR PADS</b>			
2008-07	New Body Style		<b>DX1194★</b>
2007-04	Sierra 1500 Series With Special Heavy Duty NEC Kit		DX792★ DX792A★
2007-04	Sierra 1500HD Extended Cab	Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
2007-02	Sierra 1500 Extended Cab	Pad Length 5.6" With Special Heavy Duty NEC Kit	DX792★ DX792A★
2006-04	Sierra 1500 Crew & Extended Cab—Exc. 1500HD & Hybrid Electric		DX975★
2006-03	Sierra 1500HD Crew Cab with Quadrasteer With Special Heavy Duty NEC Kit		DX792★ DX792A★
2003-02	Sierra 1500 Extended Cab with Quadrasteer	Pad Length 7.2"	DX975★
2003-01	Sierra 1500HD Crew Cab —Exc. Quadrasteer	Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
2001	Sierra 1500 Extended Cab		DX975★
2001	Sierra 1500 Regular Cab With Special Heavy Duty NEC Kit		DX792★ DX792A★
2000-99	Sierra 1500 Series With Special Heavy Duty NEC Kit		DX792★ DX792A★
<b>FRONT SHOES</b>			
1970-64	All	With 11" x 2" brake	BX280 BX280R
1963-59	All	With 11" x 2" brake	BX228
<b>REAR SHOES</b>			
2008-05	Sierra 1500	With 11.68" x 2.43" brake	BX855
1999-78	K-15 & K-1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1998-93	K-1500 Series	With 10" x 2.24" brake	BX675 BX675R
1977-76	K-10 Series	With 11.16" x 2.75" brake	BX450R
1975-71	All	With 11" x 2" brake	BX280 BX280R
1970-64	All	With 11" x 2" brake	BX280 BX280R
1963-59	All	With 11" x 2" brake	BX228
<b>Pickup (¾ Ton) 4 W.D. (Sierra, K &amp; V Models)</b>			
<b>FRONT PADS</b>			
2008-99	Sierra 2500 & 2500HD Series	Pad Length 8.5" For Towing and HD Hauling	DX784★● DX784★●
2000-89	K-2500 Series with 8600 GVW	With 13" Rear Drum Brakes	<b>DX845●</b>

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**[BOLD NUMBER]** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
-------	-------------------------	----------

**GMC – Continued**

**Pickup (¾ Ton) 4 W.D. (Sierra, K & V Models) – Continued**

1998-88	K-2500 Series with 7200 GVW	With 11" Rear Drum Brakes For Towing and HD Hauling	<b>DX369</b> <b>DX369</b>
1989-87	V-20 and V-2500 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1988-87	V-20 and V-2500 Series	With 11" Rear Drum Brakes	<b>DX52</b>
1986-79	K-20 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1986-71	K-20 Series	With 11" Rear Drum Brakes	<b>DX52</b>

**REAR PADS**

2008-99	Sierra 2500 & 2500HD Series	For Towing and HD Hauling	<b>DX785★●</b> <b>DX785★●</b>
---------	-----------------------------	---------------------------	----------------------------------

**FRONT SHOES**

1963-60	K-25 Pickup	With 12.13" x 2" brake	BX33
---------	-------------	------------------------	------

**REAR SHOES**

2000-88	K-25 & K-2500 Series	With 13" x 2.5" brake	BX451R
2000-78	K-25 & K-2500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1988-87	V-20 & V-2500 Series	With 13" x 2.5" brake	BX451R
1987	V-20 & V-2500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-76	All	With 13" x 2.5" brake	BX451R
1977-76	K-20 Series	With 11.16" x 2.75" brake	BX450R
1963-60	K-25 Pickup	With 12.13" x 2" brake	BX33

**PARKING BRAKE SHOES**

2007-94	Sierra 2500 & 2500HD Series—Exc. Quadrateer	With 8.07" x 1.65" brake	BX771
2004	Sierra 2500 & 2500HD Series	With 8.27" x 1.18" brake	BX781

**Pickup (1 Ton) 4 W.D. (Sierra, K & V Models)**

**FRONT PADS**

2008-01	Sierra 3500 Series	Pad Length 8.5" For Towing and HD Hauling	<b>DX784★●</b> <b>DX784★●</b>
2000-97	K-3500 Extended Cab—Exc. Dual Rear Wheels		<b>DX845●</b>
2000-90	K-3500 Regular Cab—Exc. Dual Rear Wheels		<b>DX845●</b>
2000-90	K-3500 Series with Dual RW		<b>DX459●</b>
1991-87	V-30 & V-3500 Series		<b>DX543</b>
1986-77	K-30 Series		<b>DX543</b>

**REAR PADS**

2008-04	Sierra 3500—Exc. Dual Rear Wheels	Pad Length 7.0" For Towing and HD Hauling	<b>DX785★●</b> <b>DX785★●</b>
2008-04	Sierra 3500 with Dual RW	Pad Length 8.5"	<b>DX909★●</b>
2003-01	Sierra 3500 Series	Pad Length 8.5"	<b>DX909★●</b>

**REAR SHOES**

2001-77	K-35 & K-3500 Series	With 13" x 3.5" brake	BX452R
1994-88	K-3500 Series	With 13" x 2.5" brake	BX451R
1991-87	V-35 & V-3500 Series	With 13" x 3.5" brake	BX452R

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>GMC – Continued</b>			
<b>Suburban (½ Ton) 2 W.D. (Sierra, C &amp; R Models)</b>			
<b>FRONT PADS</b>			
2000-94	C-1500 Series	With 11" Rear Drum Brakes With 13" Rear Drum Brakes For Towing and HD Hauling	<b>DX369</b> <b>DX845●</b> <b>DX369</b>
1993-92	C-1500 Series	For Towing and HD Hauling	<b>DX369</b> <b>DX369</b>
1991-71	C-10, R-10 & R-1500 Series		<b>DX52</b>
<b>FRONT SHOES</b>			
1970-67	C-10 & C-15 Series	With 11" x 2.75" brake	BX227
1970-64	C-10 & C-15 Series	With 11" x 2" brake	BX280 BX280R
1963-59	C-10 & C-15 Series	With 11" x 2" brake	BX228
<b>REAR SHOES</b>			
2000-78	C-10 & C-15 Series	With 11.16" x 2.75" brake	BX473 BX473R
1999-95	C-1500 Series Diesel	With 13" x 2.5" brake	BX451R
1991-89	C-10, R-10 & R-1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1988-87	C-10, R-10 & R-1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1987	C-10, R-10 & R-1500 Series	With 11" x 2" brake	BX449 BX449R
1986-76	C-10 & C-15 Series	With 11" x 2" brake	BX449 BX449R
1977-76	C-10, R-10 & R1500 Series	With 11.16" x 2.75" brake	BX450R
1975-71	C-10 & C-15 Series	With 11" x 2" brake	BX280 BX280R
1970-64	C-10 & C-15 Series	With 11" x 2" brake	BX280 BX280R
1963-59	C-10 & C-15 Series	With 11" x 2" brake	BX228
<b>Suburban (¾ Ton) 2 W.D. (Sierra, C &amp; R Models)</b>			
<b>FRONT PADS</b>			
2000-92	C-2500 Series	With Rear Drum Brakes	<b>DX845●</b>
1991-79	C-20, R-20 & R-2500 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1987-79	C-20 & R-20 Series	With 11" Rear Drum Brakes	<b>DX52</b>
1978-71	C-20 Series	With 11" and 13" Rear Drum Brakes	<b>DX52</b>
<b>REAR SHOES</b>			
2001-92	C-2500 Series	With 13" x 2.5" brake	BX451R
1999-92	C-20 & C-25 Series	With 13" x 3.5" brake	BX452R
1986-78	C-20 & C-25 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-76	C-20 & C-25 Series	With 13" x 2.5" brake	BX451R
1977-76	C-10, R-10 & R1500 Series	With 11.16" x 2.75" brake	BX450R
1972-71	C20 & C25 Series	With 12" x 2.5" brake	BX419R

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
-------	-------------------------	----------

**GMC – Continued**

**Suburban (½ Ton) 4 W.D. (K & V Models)**

**FRONT PADS**

2000-94	K-1500 Series	With 13" Rear Drum Brakes	<b>DX845●</b>
2000-92	K-1500 Series	With 11" Rear Drum Brakes	<b>DX369</b>
		For Towing and HD Hauling	<b>DX369</b>
1991-71	K-10, V-10 & V-1500 Series		<b>DX52</b>

**REAR SHOES**

2000-78	K-10 & K-1500 Gas	With 11.16" x 2.75" brake	BX473 BX473R
1999-95	K-10 & K-1500 Diesel	With 13" x 2.5" brake	BX451R
1991-89	K-10, V-10 & V-1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1988-87	K-10, V-10 & V-1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1977-76	K-10, V-10 & V1500 Series	With 11.16" x 2.75" brake	BX450R

**Suburban (¾ Ton) 4 W.D. (K & V Models)**

**FRONT PADS**

2000-92	K-2500 Series	With 13" Rear Drum Brakes	<b>DX845●</b>
1991-79	K-20, V-20 & V-2500 Series	With 13" Rear Drum Brakes	<b>DX153</b>
1988-79	K-20, V-20 & V-2500 Series	With 11" Rear Drum Brakes	<b>DX52</b>
1978-71	K-20 Series	With 11" and 13" Rear Drum Brakes	<b>DX52</b>

**REAR SHOES**

1999-92	All	With 13" x 2.5" brake	BX451R
		With 13" x 3.5" brake	BX452R
1991-87	V-20 & V-2500 Series	With 13" x 2.5" brake	BX451R
1987	K-20, V-20 & V-2500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-78	K-20, V-20 & V-2500 Series	With 11.16" x 2.75" brake	BX473 BX473R
1986-76	All	With 13" x 2.5" brake	BX451R
1977-76	K-20 Series	With 11.16" x 2.75" brake	BX450R

**Van (½ Ton) Savana & G Models - Inc. Rally & Vandura**

**FRONT PADS**

2008-03	1500 Savana Series All Wheel Drive w/ Torsion Bar Front Suspension For Towing and HD Hauling	<b>DX785★●</b>
		<b>DX785★●</b>
2008-03	Savana 1500 Series For Towing and HD Hauling	<b>DX785★●</b>
		<b>DX785★●</b>
2002-96	Savana 1500 Series For Towing and HD Hauling	<b>DX369</b>
		<b>DX369</b>
1995-71	G-15 Series	<b>DX52</b>

**REAR PADS**

2008-03	Savana 1500 Series	<b>DX974★</b>
---------	--------------------	---------------

**FRONT SHOES**

1971	All	With 11" x 2" brake	BX280 BX280R
1970-64	All	With 9.5" x 2.5" brake	BX246

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
-------	-------------------------	----------

**GMC – Continued**

**Van (½ Ton) Savana & G Models - Inc. Rally & Vandura – Continued**

REAR SHOES			
2002-96	Savana 1500 Series	With 11.16" x 2.75" brake	BX473 BX473R
2000-76	All	With 11.16" x 2.75" brake	BX473 BX473R
1989-76	All	With 11" x 2" brake	BX449 BX449R
1975-71	All	With 11" x 2" brake	BX280 BX280R
1971-64	G10 & G15 Series	With 9.5" x 2" brake	BX245

PARKING BRAKE SHOES			
2008-03	Savana 1500 Series	With 8.27" x 1.18" brake	BX781

**Van (¾ Ton) Savana & G Models - Inc. Rally & Vandura**

FRONT PADS			
2008-03	Savana 2500 Series with 7300 GVW	For Towing and HD Hauling	DX785★●
			DX785★●
2008-03	Savana 2500 Series with 8500 GVW Cargo & 8600 GVW Passenger	For Towing and HD Hauling	DX784★●
			DX784★●
2002-01	Savana 2500 Series with Diesel Engine 7700-8600 GVW	8 Lug Wheels	<b>DX459●</b>
2002-96	Savana 2500 Series with 7300 GVW	6 Lug Wheels For Towing and HD Hauling	DX369
			DX369
2002-96	Savana 2500 Series with Gas Engine 7700-8600 GVW	8 Lug Wheels	<b>DX845●</b>
2000-96	Savana 2500 Series with Diesel Engine 7700-8600 GVW	8 Lug Wheels	<b>DX845●</b>
1995-71	G-25 Series		<b>DX52</b>

REAR PADS			
2008-03	Savana 2500 Series	With Rear Disc Brakes	DX974A★

REAR SHOES			
2002-96	8600 LB. GVW	With 13" x 3.5" brake	BX452R
2002-96	All	With 13" x 2.5" brake	BX451R
2002-96	Savana 2500 Series with 7300 LB. GVW	With 11.16" x 2.75" brake	BX473 BX473R
2000-78	7300 LB. GVW	With 11.16" x 2.75" brake	BX473 BX473R
1977-76	All	With 11.16" x 2.75" brake	BX450R
1973-67	All	With 11" x 2" brake	BX280 BX280R

PARKING BRAKE SHOES			
2008-03	Savana 2500 Series	With 8.07" x 1.65" brake	BX771

**Van (1 Ton) Savana & G Models - Inc. Rally & Vandura**

FRONT PADS			
2008-03	Savana 3500 Series	For Towing and HD Hauling	DX784★●
			DX784★●
2002	Savana 3500 Series		<b>DX459●</b>

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

Years	Application Information	Dynamics
-------	-------------------------	----------

**GMC – Continued**

**Van (1 Ton) Savana & G Models - Inc. Rally & Vandura – Continued**

2001	Savana 3500 Series with 139" Wheel Base—Exc. G315 Chassis Cab & Dual Rear Wheel	<b>DX459●</b>
2001	Savana 3500 Series with 139" Wheel Base G315 Chassis Cab—Exc. Dual Rear Wheels	<b>DX845●</b>
2001	Savana 3500 Series with Dual RW	<b>DX459●</b>
2000-96	Savana 3500 Series—Exc. Dual Rear Wheels	<b>DX845●</b>
2000-96	Savana 3500 Series with Dual RW	<b>DX459●</b>
1995-88	G-35 Series—Exc. Dual Rear Wheels With 13" x 3½" Rear Drum Brakes	<b>DX543</b>
1995-79	G-35 Series—Exc. Dual Rear Wheels With 13" x 2½" Rear Drum Brakes	<b>DX153</b>
1995-74	G-35 Series with Dual RW	<b>DX543</b>
1980-76	G-35 Series With 11" Rear Drum Brakes	<b>DX52</b>
1976-71	G-35 Series With 13" Rear Drum Brakes	<b>DX52</b>

**REAR PADS**

2008-03	Savana 3500 Series—Exc. Dual Rear Wheels	DX974A★
2008-03	Savana 3500 Series with Dual RW	DX989★●

**REAR SHOES**

2002-76	All	With 13" x 3.5" brake	BX452R
1996-90	All	With 13" x 2.5" brake	BX451R
1991-76	G-35 Series—Exc. Dual RW	With 13" x 2.5" brake	BX451R
1984-78	All	With 11.16" x 2.75" brake	BX473 BX473R
1977-76	SRW	With 11.16" x 2.75" brake	BX450R

**PARKING BRAKE SHOES**

2008-03	Savana 3500 Series	With 8.07" x 1.65" brake	BX771
---------	--------------------	--------------------------	-------

**Van - (½ Ton) P Series Step Van**

**FRONT PADS**

1980-71	P-10 Series	<b>DX52</b>
---------	-------------	-------------

**FRONT SHOES**

1970-64	P-10 & P-15 Series	With 11" x 2" brake	BX280 BX280R
1963-59	P-10 & P-15 Series	With 11" x 2" brake	BX228

**REAR SHOES**

1980-78	P-10 & P-15 Series	With 11.16" x 2.75" brake	BX473 BX473R
1974-71	P-10 & P-15 Series	With 11" x 2" brake	BX280 BX280R
1970-64	P-10 & P-15 Series	With 11" x 2" brake	BX280 BX280R
1963-59	P-10 & P-15 Series	With 11" x 2" brake	BX228

**Van - (¾ Ton) P Series Step Van**

**FRONT PADS**

1989-79	P-20 Series	With 11" Rear Drum Brakes	<b>DX52</b>
		With 13" Rear Drum Brakes	<b>DX153</b>
1978-71	P-20 Series		<b>DX52</b>

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>GMC – Continued</b>			
<b>Van - (¾ Ton) P Series Step Van – Continued</b>			
<b>REAR SHOES</b>			
1989-78	P-20 & P-25 Series	With 11.16" x 2.75" brake	BX473 BX473R
1989-76	P-20 & P-25 Series	With 13" x 2.5" brake	BX451R
1977-76	P-20 Series	With 11.16" x 2.75" brake	BX450R
1972-71	P25	With 12" x 2.5" brake	BX419R
<b>Van - (1 Ton) P Series Step Van</b>			
<b>FRONT PADS</b>			
1999-97	P-30 Series	With Rear Disc Brakes	<b>DX717●</b>
1999-94	P-30 Series	With 13" Rear Drum Brakes	<b>DX543</b>
1996-76	P-30 Series	With Rear Disc Brakes	<b>DX543</b>
1993-79	P-30 Series	With 13" x 3½" Rear Drum Brakes	<b>DX543</b>
1993-79	P-30 Series—Exc. Dual Rear Wheels	With 13" x 2½" Rear Drum Brakes	<b>DX153</b>
1986-79	P-30 Series	With 13" x 2½" Rear Drum Brakes	<b>DX153</b>
		With 13" x 3½" Rear Drum Brakes	<b>DX543</b>
1978-74	P-30 Series	With 13" x 2½" Rear Drum Brakes	<b>DX52</b>
		With 13" x 3½" Rear Drum Brakes	<b>DX543</b>
1978-71	P-30 Series	With 15" x 4" Rear Drum Brakes	<b>DX543</b>
1973-71	P-30 Series—Exc. Motorhome Chassis	With 13" & 15" Rear Drum Brakes	<b>DX52</b>
1973-71	P-30 Series 158" Wheel Base Motorhome	With 15" Rear Drum Brakes	<b>DX52</b>
1973-71	P-30 Series 178" Wheel Base Motorhome	With 15" Rear Drum Brakes	<b>DX543</b>
1973-71	P-30 Series Motorhome Chassis	With 13" x 2½" Rear Drum Brakes	<b>DX52</b>
<b>REAR PADS</b>			
1999-97	P-30 Series	With Rear Disc Brakes	<b>DX717●</b>
1996-76	P-30 Series	With Rear Disc Brakes	<b>DX543</b>
<b>REAR SHOES</b>			
2000-76	P-30 & P-35 Series	With 13" x 2.5" brake	BX451R
		With 13" x 3.5" brake	BX452R
<b>Yukon XL (½ Ton)</b>			
<b>FRONT PADS</b>			
2008-07	All		<b>DX1092★</b>
2006-00	All		<b>DX785★●</b>
		For Towing and HD Hauling	<b>DX785★●</b>
<b>REAR PADS</b>			
2008-07	All		<b>DX1194★</b>
2006-03	2WD		<b>DX974★</b>
2006-03	4WD		<b>DX975★</b>
2002-00	All—Exc. limited slip axle	Pad Length 5.6"	<b>DX792★</b>
		With Special Heavy Duty NEC Kit	<b>DX792A★</b>
2002-00	Limited Slip Axle	Pad Length 7.2"	<b>DX975★</b>
<b>PARKING BRAKE SHOES</b>			
2008-00	All	With 8.27" x 1.18" brake	BX781

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**[BOLD NUMBER]** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>GMC – Continued</b>			
<b>Yukon XL (¾ Ton)</b>			
<b>FRONT PADS</b>			
2008-00	2WD	Pad Length 8.5" For Towing and HD Hauling	DX784★● DX784★●
2008-00	4WD	For Towing and HD Hauling	DX784★● DX784★●
2005-04	All	Pad Length 7.0" For Towing and HD Hauling	DX785★● DX785★●
<b>REAR PADS</b>			
2008-03	All—Exc. Quadrasteer	For Towing and HD Hauling	DX785★● DX785★●
2005-03	Quadrasteer	With Special Heavy Duty NEC Kit	DX792★ DX792A★
2002-00	All	For Towing and HD Hauling	DX785★● DX785★●
<b>PARKING BRAKE SHOES</b>			
2008-00	All—Exc. Quadrasteer	With 8.07" x 1.65" brake	BX771
2005-03	All—Inc. Quadrasteer	With 8.27" x 1.18" brake	BX781
<b>HUMMER</b>			
<b>H1</b>			
<b>FRONT PADS</b>			
2006-02	All		<b>DX788</b>
2001-97	12,100 GVW		<b>DX788</b>
2001-97	All—Exc. 12,100 GVW		<b>DX651●</b>
1996-92	All		<b>DX651●</b>
<b>REAR PADS</b>			
2006-02	All		<b>DX788</b>
2001-92	All		<b>DX651●</b>
<b>H2</b>			
<b>FRONT PADS</b>			
2008-03	All	For Towing and HD Hauling	DX784★● DX784★●
<b>REAR PADS</b>			
2008-03	All	For Towing and HD Hauling	DX785★● DX785★●
<b>PARKING BRAKE SHOES</b>			
2008-03	All	With 8.07" x 1.65" brake	BX771
<b>INTERNATIONAL</b>			
<b>Metro Series, Multi-Stop Series</b>			
<b>FRONT SHOES</b>			
1973-64	M1200, MA1200	With 12.13" x 2" brake	BX33
<b>REAR SHOES</b>			
1972-64	M700, 800, 900U, RA19, 244, 51, 52	With 11" x 1.75" brake	BX55
1972-64	M800	With 11" x 1.75" brake	BX55
1964-60	CM75, AM80, CM80, CMU85, CM110	With 11" x 1.75" brake	BX55

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

Years	Application Information	Dynamics
-------	-------------------------	----------

## INTERNATIONAL – Continued

### Pickups

#### FRONT PADS

1975-74	200 Series	DX543
1974	100 & 150 Series	DX50

#### FRONT SHOES

1975-74	200, D200	With 12" x 3" brake	BX358 BX358R
1975-68	120, 1200 Series	With 12" x 2.5" brake	BX357 BX357R
1975-68	130, 1300 Series	With 12" x 3" brake	BX358 BX358R
1975-68	1210	With 12" x 3" brake	BX358 BX358R
1972-65	1000C, 1100B, 1100C, 1200A, 1200B, 1200C, 1300A, 1300B, 1300C	With 12.13" x 2" brake	BX33
1968-67	1500A, 1500B, 1500C, 1500D	With 12.13" x 2" brake	BX33
1968-65	908B, 908C	With 12.13" x 2" brake	BX33
1968-65	1100 4x4	With 11" x 2" brake	BX228
1967-63	900 Series	With 11" x 2" brake	BX228
1966-61	1500C	With 12.13" x 2" brake	BX33
1965-61	C130, C1300	With 12.13" x 2" brake	BX33
1964-61	AB140, SA140	With 12.13" x 2" brake	BX33
1960-54	A100, B100, S100 & R100	With 11" x 2" brake	BX228

#### REAR SHOES

1975-74	200, D200	With 12" x 2.5" brake	BX357 BX357R
		With 12" x 3" brake	BX358 BX358R
1975-68	120, 1200 Series	With 12" x 2.5" brake	BX357 BX357R
1975-68	130, 1300 Series	With 12" x 3" brake	BX358 BX358R
1975-68	1210	With 12" x 3" brake	BX358 BX358R
1968-65	900A	With 11" x 1.75" brake	BX55
1968-65	908B	With 11" x 1.75" brake	BX55
1968-65	908C	With 11" x 1.75" brake	BX55
1968-65	1000A	With 11" x 1.75" brake	BX55
1968-65	1000B	With 11" x 1.75" brake	BX55
1968-63	C900, D900	With 11" x 1.75" brake	BX55
1967-61	C100, C1000, D1000, RA1,3	With 11" x 1.75" brake	BX55

## JEEP

### Pioneer Pickup (J Series)

#### FRONT PADS

1990-74	J10 & J20 Series	DX52
---------	------------------	------

#### FRONT SHOES

1976-74	J10 & J20 Series	With 11" x 2" brake	BX280 BX280R
---------	------------------	---------------------	-----------------

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

Years	Application Information		Dynamics
<b>JEEP — Continued</b>			
<b>Pioneer Pickup (J Series) — Continued</b>			
<b>REAR SHOES</b>			
1990-77	J10 & J20 Series	With 11" x 2" brake	BX462 BX462R
1976-74	J10 & J20 Series	With 11" x 2" brake	BX363
<b>LINCOLN</b>			
<b>Town Car</b>			
<b>REAR PADS</b>			
2007-03	Limousine		<b>DX711★●</b>
<b>PARKING BRAKE SHOES</b>			
2007-03	Limo Package	With 9" x 1.18" brake	BX752
<b>MERCEDES BENZ</b>			
<b>Sprinter 2500</b>			
<b>FRONT PADS</b>			
2004-02	All	With Bosch Caliper & 2 Wire Wear Sensors; Pad Length 6.5"	<b>DX949A●△</b>
		With Bosch Caliper without Wire Wear Sensors; Pad Length 6.5"	<b>DX949●</b>
		With Teves Caliper & 2 Wire Wear Sensors	<b>DX950A△</b>
		With Teves Caliper without Wire Wear Sensors; Pad Length 6.2"	<b>DX950</b>
<b>REAR PADS</b>			
2004-02	16" Wheels	With Teves Caliper & 2 Wire Wear Sensors; Pad Length 5.2"	<b>DX1006A△</b>
		With Teves Caliper without Wire Wear Sensors; Pad Length 5.2"	<b>DX1006</b>
2004-02	All	2 Pads with Wire Wear Sensors; Pad Length 5.0"	<b>DX928A△</b>
2004-02	All—Exc. 16" Wheels	With Teves Caliper & 2 Wire Wear Sensors	<b>DX951A△</b>
		With Teves Caliper without Wire Wear Sensors; Pad Length 5.6"	<b>DX951</b>
<b>NISSAN</b>			
<b>Titan</b>			
<b>FRONT PADS</b>			
2007-04	All		<b>DX1015★●</b>
<b>REAR PADS</b>			
2008-04	All		<b>DX1041★●</b>
<b>PLYMOUTH</b>			
<b>PB Models (½ Ton) Van</b>			
<b>FRONT PADS</b>			
1983-74	PB-100 & PB-150 Series		<b>DX269</b>

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**DX1015** indicates Original Equipment Replacement Recommendation.

Years	Application Information		Dynamics
<b>PLYMOUTH – Continued</b>			
<b>PB Models (¾ Ton) Van</b>			
<b>FRONT PADS</b>			
1983-74	PB-200 & PB-250 Series		<b>DX269</b>
<b>PB Models (1 Ton) Van</b>			
<b>FRONT PADS</b>			
1983-74	PB-300 & PB-350 Series		<b>DX269</b>
<b>Voyager (½ Ton) Van</b>			
<b>REAR SHOES</b>			
1986-76	PB-100 & PB-150 Series	With 11" x 2.5" brake	BX446 BX446R
1983-74	PB-100 & PB-150 Series	With 10" x 2.5" brake	BX445 BX445R
<b>Voyager (¾ Ton) Van</b>			
<b>REAR SHOES</b>			
1983-74	PB-200 & PB-250 Series	With 10" x 2.5" brake	BX445 BX445R
1978-76	PB-200 & PB-250 Series	With 11" x 2.5" brake	BX446 BX446R
<b>Voyager (1 Ton) Van</b>			
<b>REAR SHOES</b>			
1983-74	PB300 & PB-350 Series	With 12" x 2.5" brake	BX357 BX357R
		With 12" x 3" brake	BX358 BX358R
1981-78	PB-300 & PB-350 Series	With 12.13" x 2" brake	BX33
<b>TOYOTA</b>			
<b>T100 (Full Size) Series</b>			
<b>FRONT PADS</b>			
1998-93	2WD 1 Ton		<b>DX434</b>
1998-93	2WD ½ Ton		<b>DX686</b>
1998-93	4WD		DX611
<b>REAR SHOES</b>			
1998-93	All	With 11.61" x 1.97" brake	BX589 BX589R
		With 11.61" x 2.36" brake	BX549
<b>Tundra</b>			
<b>FRONT PADS</b>			
2008-07	All	For Towing and HD Hauling	DX1303
2006-03	All	Standard Duty	<b>DX976</b>
		For Towing and HD Hauling	<b>DX976</b>
2002-00	All	With Caliper Cast #13WL	<b>DX976</b>
		With Caliper Cast #13WL; For Towing and HD Hauling	<b>DX976</b>
		With Caliper Cast #S13WE	<b>DX812</b>
<b>REAR PADS</b>			
2008-07	All	For Towing and HD Hauling	DX1304

FLEET VEHICLES/  
LIGHT TRUCKS

MEDIUM/HEAVY  
DUTY TRUCKS

NUMERICAL  
LISTING

FMSI TO MONROE  
INTERCHANGE

INSTALLATION TIPS

TECHNICAL  
INFORMATION

R Part numbers with "R" as the suffix are riveted.  
 △ Includes Wire Wear Sensor.  
 ★ Noise Elimination Clips Included.  
 ● Includes Sensory Lock Plate Technology.  
**INDICATES ORIGINAL EQUIPMENT REPLACEMENT RECOMMENDATION.**

Years	Application Information		Dynamics
<b>TOYOTA – Continued</b>			
<b>Tundra – Continued</b>			
<b>REAR SHOES</b>			
2006-04	All	With 11.61" x 1.97" brake	BX764
2003-00	All	With 11.61" x 1.97" brake	BX589 BX589R

R Part numbers with "R" as the suffix are riveted.

△ Includes Wire Wear Sensor.

★ Noise Elimination Clips Included.

● Includes Sensory Lock Plate Technology.

**INDICATOR** indicates Original Equipment Replacement Recommendation.

# FOOTNOTES

## NOTES EN BAS DE PAGE

## NOTAS DE PIE DE PÁGINA

### FOOTNOTES

- R Part numbers with “R” as the suffix are riveted.
- △ Includes Wire Wear Sensor.
- ★ Noise Elimination Clips Included.
- Includes Sensory Lock Plate Technology.  
**BOLD NUMBER** indicates Original Equipment Replacement Recommendation.

### NOTES EN BAS DE PAGE

- R Les numéros de pièce comportant un suffixe «R» sont rivetés.
- △ Comprend un capteur d'usure à fil.
- ★ Attache de suppression de bruit comprises.
- Inclut la technologie de plaque de serrure sensorielle.  
Les **NUMÉROS EN CARACTÈRES GRAS** signalent une pièce recommandée pour le remplacement du matériel d'origine.

### NOTAS DE PIE DE PÁGINA

- R Las partes que tienen el sufijo “R” están remachadas.
- △ Incluye un sensor de desgaste alámbrico.
- ★ Se incluyen los clips de eliminación de ruidos.
- Incluye tecnología de plato de cerradura sensoria.  
Los **NÚMEROS EN NEGRITA** indican Recomendación de reemplazo de equipo original.